EN

Professionally approved products.

Datasheet

RS Coaxial Cable, Brown FEP Sheath, 25m, RG179, 2.5mm OD, 0.1 mm

Stock Number – 794-7221

Description:

Rated Temperature (oC): -70 ~ 200

Rated Voltage (VMS): 1200

Product Standard Certification:

Flammability Test:

RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.

EN

Professionally approved products.

Datasheet

Construction:
Conductor: Silver Plated Copper Clad Steel
Conductor Dia. (mm): 0.10±0.02 x7
Insulation: PTFE
Insulation Dia. (mm): 1.52±0.05
Braid Shield 1: Silver Plated Copper
Conductor Dia. (mm): 0.10
Conductor Qty: 16x5
Coverage: >92%
Jacket: FEP
Outer Dia. (mm): 2.5±0.10
Colour:
The colour of the insulation: Nature
The jacket colour: Brown

RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.

Professionally approved products.

Datasheet

Marking(3times/m)**:**
RS 7947221 Cable Coax RG179 B/U FEP brown
Performance:
Electrical Characteristics:
Frequency Attenuation(dB/100M)
100MHz 27.93
400MHz 56.81
1000MHz 91.25
Specified value (max.) is not more than 108% of the nominal
value
Character Impedance: 75 ohm
Capacitance: 63.65pF/M
Velocity ratio(%) : 70%



RS, Professionally Approved Products, gives you professional quality parts across all products categories. Our range has been testified by engineers as giving comparable quality to that of the leading brands without paying a premium price.