



## SE3455-001

### SE Series GaAs Infrared Emitting Diode, TO-46 Metal Can Package

#### Features

- TO-46 metal can package
- Choice of flat window or lensed package
- 90 ° or 20 ° (nominal) beam angle option
- 935 nm wavelength
- Wide operating temperature range [-55 °C to 125 °C]
- Ideal for high pulsed current applications
- Mechanically and spectrally matched to SD3421/5421 photodiode, SD3443/5443/5491 phototransistor, SD3410/5410 photodarlington and SD5600 series Schmitt trigger

#### Description

The SE3455/5455 series consists of a gallium arsenide infrared emitting diode mounted in a TO-46 metal can package. The SE3455 series has flat window cans providing a wide beam angle, while the SE5455 series has glass lensed cans providing a narrow beam angle. These devices are constructed with dual bond wires suitable for pulsed current applications. The TO-46 packages offer high power dissipation capability and are ideally suited for operation in hostile environments.

*Representative photograph, actual product appearance may vary.*

*Due to regional agency approval requirements, some products may not be available in your area. Please contact your regional Honeywell office regarding your product of choice.*



## SE3455-001


### SE Series GaAs Infrared Emitting Diode, TO-46 Metal Can Package

Product Specifications	
Product Type	IR Component
Power Output	2.0 mW min
Beam Angle (Degree)	90
Package Style	TO-46, Flat Window
Package Components	Metal
Forward Current	100 mA
Continuous Forward Current	100 mA
Forward Voltage	1.7 V
Reverse Breakdown Voltage	3 V
Output Wavelength	935 nm
Spectral Bandwidth	50 nm
Spectral Shift With Temperature	0.3 nm/°C
Rise and Fall Time	0.7 μs
Power Dissipation	150 mW
Operating Temperature Range	-55 °C to 125 °C [-67 °F to 257 °F]
Availability	Global
Product Name	Infrared Emitting Diode



## SE3455-001


### SE Series GaAs Infrared Emitting Diode, TO-46 Metal Can Package



**Honeywell**

**SE3455-001**

SE Series GaAs Infrared Emitting Diode, TO-46 Metal Can Package





## SE3455-001

SE Series GaAs Infrared Emitting Diode, TO-46 Metal Can Package

### **WARNING**

#### **PERSONAL INJURY**

DO NOT USE these products as safety or emergency stop devices, or in any other application where failure of the product could result in personal injury.

**Failure to comply with these instructions could result in death or serious injury.**

### **WARNING**

#### **MISUSE OF DOCUMENTATION**

- The information presented in this product sheet (or catalog) is for reference only. DO NOT USE this document as product installation information.
- Complete installation, operation and maintenance information is provided in the instructions supplied with each product.

**Failure to comply with these instructions could result in death or serious injury.**

© Copyright Honeywell Inc.1998-2004 All rights reserved.