

Terminal markers

Selection table

Terminals	Terminal width	Markers			Tag carriers																									
		dekafix	WS	ZS	WS 3	S 10	BZP 2	SchT 1	SchT 3	SchT 7	SchT 8/TBS 1	SchT 9/4	SchT 14/6	WTS 3/4	WGB 5/WAD 5	WGB 8/WAD 8	WAD 12	WAD 27	T 3	T 4	T 5	T 6	WT 4	WT 5	WT 6	ZGB				
AK 4	6	-																	X											
AKB 4	6	see AKZ 4																												
AKE 2.5	5	see AKZ 2.5																												
AKZ 1.5...	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
AKZ 2.5...	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
AKZ 4...	6	-	6	8/5	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	
AKZ 4 SS	6	-	6	8/5	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	
AKZ 4 ST	6	see AKZ 4 SS																												
ASK 1	8	-	8	10/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	
AST 1	6.5	-	6.5	8/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	X	
AST 3	6.5	-	6.5	8/5	-	-	-	-	-	X	X	X	-	X	X	-	-	-	-	X	-	-	-	-	-	-	-	-	-	
AST 4	6.5	-	6.5	8/5	-	-	-	-	X	X	X	-	X	X	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	
AST 5	6.5	-	6.5	12/6.5	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	X	X	-	-	-	-	-	-	-	X	
AVR 4	6.55	-	6.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BZT ZVL 1.5	5.08	-	5	12/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DK 4 Q	6	-	6	-	-	-	-	-	-	X	-	X	X	-	-	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
DK 4 S	6	-	6	-	-	-	-	-	-	-	X	-	X	X	-	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
DKI; DKIS 4; DKIT4	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DKT 4	6	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DLA 2.5...	6	-	6	8/5	-	X	-	-	-	-	X	X	X	X	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	
DLD 2.5...	6	-	6	8/5	-	X	-	-	-	-	X	X	X	X	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	
DLJ 2.5	6	-	6	8/5	-	X	-	-	-	-	X	X	X	X	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	
DSG 1.5	5.08	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DSK 1.5	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EK 10	10	-	5	8/5	-	-	-	-	X	X	X	-	X	X	X	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
EK 16	12	-	5	8/5	-	-	-	-	X	X	X	-	X	X	X	-	-	-	-	X	X	X	-	X	-	-	-	-	-	
EK 2.5 N	6	-	6	8/5	-	-	-	-	X	X	X	-	X	X	X	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
EK 35	18	-	5	8/5	-	-	-	-	X	X	X	-	X	X	X	-	-	-	-	X	X	X	-	X	-	-	-	-	-	
EK 4	8	-	8	8/5	-	-	-	-	X	X	X	-	X	X	X	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
EW 15	9.5	-	5	12/5	-	-	X	X	X	X	X	-	X	-	X	-	-	-	-	X	X	X	X	X	X	X	X	X	-	
EW 15/2	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EW 35	8.5	-	5	8/5	-	-	X	X	X	X	-	-	-	X	-	-	-	-	-	X	X	X	X	X	X	X	X	X	-	
EWK	8.5	-	5	8/5	-	-	-	-	X	X	X	-	-	-	-	-	-	-	-	X	X	X	X	X	X	X	X	X	-	
EWK 1	8.5	-	5	8/5	-	-	X	X	X	X	-	-	-	X	-	-	-	-	-	X	X	X	X	X	X	X	X	X	-	
EWK 2	8.5	-	5	8/5	-	-	-	-	X	X	-	-	-	-	-	-	-	-	-	X	X	X	-	X	-	-	-	-	-	
IDU 1.5 N*			5	10/5*	10/5	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	
IDU 1.5 N/3AN	see IDU 1.5 N																													
IDU 1.5 N/4AN	see IDU 1.5 N																													
IDK 1.5N*			5	10/5*	10/5	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IDK 1.5N/V*			5	10/5*	10/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	
IDK 1.5N/ZF*	see IDU 1.5 N/V																													
IDK 1.5N/ZB	see IDU 1.5 N/V																													
IPE 1.5N	see IDU 1.5 N/V																													
IPE 1.5N/3AN	see IDU 1.5 N/V																													
IPE 1.5N/4AN	see IDU 1.5 N/V																													
IPE 1.5N/PE	see IDU 1.5 N/V																													
IPE 1.5N/ZF	see IDU 1.5 N/V																													
IPE 1.5N/ZB	see IDU 1.5 N/V																													
ITR 1.5N	see IDU 1.5 N/V																													
ITR 1.5N/SI	see IDU 1.5 N/V																													
ITR 1.5N	see IDU 1.5 N/V																													
IEK 1.5N 3L PE	see IDU 1.5 N/V																													
IEK 1.5N 3L	see IDU 1.5 N/V																													
IEK 1.5N 4L PE	see IDU 1.5 N/V																													
IAK 1.5N 3L	see IDU 1.5 N/V																													
IJK 1.5N 3L	see IDU 1.5 N/V																													
IJK 1.5N 4L	see IDU 1.5 N/V																													
KDK S1...	8	-	8	8/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	-	-	-	-	-	
KSKM	13	-	5	8/5	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	X	-	-	-	-	
KST 5,6,8,10,12	24	-	5	8/5	-	X	-	-	-	-	-	-	-	-	-	-	-	-	-	X	X	-	-	-	X	X	X	X	-	
MAK 2.5	6	see VLI 1.5																												
SAK 10	10	-	5	8/5	-	-	-	-	X	X	X	X	X	X	X	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
SAK 16	12	-	5	8/5	-	-	-	-	X	X	X	X	X	X	X	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
SAK 2.5 KRG	6	-	6	8/5	-	-	-	-	-	X	X	-	X	X	X	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
SAK 2.5 PA	6	-	6	8/5	-	-	-	-	-	X	X	X	X	X	X	-	-	-	-	-	-	-	-	-	X	-	-	-	-	
SAK 35	18	-	5	12/5	-	-	-	-	X	X	X	-	X	X	X	-	-	-	-	X	X	X	-	X	-	-	-	-	-	
SAK 35 N	16	-	5	12/5	-	-	-	-	X	X	X	-	X	X	X	-	-	-	-	X	X	X	-	X	-	-	-	-	-	
SAK 4...	6.5	-	6.5	8/5	-	-	-	-	X	X	X	X	X	X	X	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
SAK 6 N	8	-	8	8/5	-	-	-	-	X	X	X	X	X	X	X	-	-	-	-	X	X	-	-	-	-	-	-	-	-	
SAK 70	22	-	5	12/5	-	-	-	-	X	X	X	-	X	X	X	-	-	-	-	X	X	X	X	X	X	X	X	X	-	

Terminal markers

Selection table

Terminals			Markers			Tag carriers																						
Terminal width			dekafix	WS	ZS	WS 3	S 10	BZP 2	SchT 1	SchT 3	SchT 7	SchT 8/TBS 1	SchT 9/4	SchT 14/6	WTS 9/4	WGB 5/WAD 5	WGB 8/WAD 8	WAD 12	WAD 27	T 3	T 4	T 5	T 6	WT 4	WT 5	WT 6	ZGB	
SAK 95	28	-	5	12/5	-	-	-	-	x	x	x	-	x	x	x	-	-	-	-	-	x	x	-	x	x	-	x	-
SAKA 10	12	-	5	8/5	-	-	-	-	x	x	x	-	x	x	x	-	-	-	-	-	x	x	-	-	-	-	-	
SAKB 10	10	-	5	8/5	-	-	-	-	x	x	x	-	x	x	x	-	-	-	-	-	x	-	-	-	-	-	-	
SAKC 10	12	-	5	8/5	-	-	-	-	x	x	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	
SAKC 4	6.5	-	6.5	-	-	-	-	-	x	x	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	
SAKD 2.5 N	5	-	5	-	-	-	-	-	-	-	x	-	x	x	-	-	-	-	-	-	x	x	-	-	-	-	-	
SAKG 28, 32,...,70	28	-	5	12/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	-	-	-	
SAKK 10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SAKK 4	11.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SAKR...	6.5	-	6.5	-	-	-	-	-	x	x	x	-	x	x	-	-	-	-	-	-	x	x	-	-	-	-	-	
SAKS 1	13	-	5	8/5	-	-	-	-	x	x	-	-	-	-	x	-	-	-	-	-	x	x	-	-	-	-	-	
SAKS 2	28	-	5	12/5	-	-	-	-	x	x	-	-	-	-	x	-	-	-	-	-	x	x	-	-	-	-	-	
SAKS 3	13	see SAKS 1																										
SAKS 4	24	-	5	12/5	-	-	-	-	x	x	-	-	-	-	x	-	-	-	-	-	x	x	x	-	x	-	-	
SAKS 5	28	-	5	12/5	-	-	-	-	x	x	-	-	-	-	x	-	-	-	-	-	x	x	x	-	x	-	-	
SAKT 1	8	-	8	8/5	-	-	-	-	x	x	x	-	x	x	-	-	-	-	-	-	x	x	-	-	-	-	-	
SAKT 2	8	-	8	12/5	-	-	-	-	x	x	-	-	-	-	x	-	-	-	-	-	x	x	x	x	x	x	x	
SAKT 4	6	-	6	8/5	-	-	-	-	x	x	-	-	x	x	-	-	-	-	-	-	x	x	-	-	-	-	-	
SS 6	18	-	5	12/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	-	x	-	-	
SS 8, 10, 12	36	-	5	12/5	-	x	-	-	-	-	-	-	-	-	x	-	-	-	-	-	x	x	-	-	x	x	x	
ST 5	16.3	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
STSL 5	16.3	see ST 5																										
TAL	4	-	-	10/3,5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOP 4	6	-	6	10/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	x	
VLI 1.5...	6	-	6	8/5	-	-	-	-	-	-	x	-	x	x	-	-	-	-	-	-	-	-	-	-	x	-	x	
WDK 1.5/3.5	3.5	see WDU 1.5/3.5																										
WDK 2.5 400V	5	-	5	8/5	-	x	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	x	-	x	
WDK 2.5 800V	6	-	6	8/5	-	x	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	x	-	x	
WDK 2.5 D	5	see WDK 2.5																										
WDK 2.5 DU/PE	5	see WDK 2.5																										
WDK 2.5 E	5	see WDK 2.5																										
WDK 2.5 E																												
GET.SCH.	5	see WDK 2.5																										
WDK 2.5 F	5	-	5	8/5	-	x	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	x	-	x	
WDK 2.5 FF	5	-	5	8/5	-	x	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	x	-	x	
WDK 2.5 FFV	5	see WDK 2.5 FF																										
WDK 2.5 FV	5	see WDK 2.5 F																										
WDK 2.5 GD	5	see WDK 2.5																										
WDK 2.5 LD	5	see WDK 2.5																										
WDK 2.5 PE	5	see WDK 2.5																										
WDK 2.5 T	5	see WDK 2.5																										
WDK 2.5 TT	5	see WDK 2.5																										
WDK 2.5 V	5	see WDK 2.5																										
WDK 2.5/ BLA R5.08	5.08	-	5	8/5	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	x	x	-	-	-	-	-	
WDK 2.5/ BLZ R5.08	5.08	s. WDK 2.5/BLA																										
WDK 2.5/ BLZ R7.62	7.62	-	5	5/7.62	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	x	x	-	-	-	-	-	
WDK 2.5/ZQV	5	see WDK 2.5																										
WDL 2.5 TR-DU	6	see WDL 2.5/...																										
WDL 2.5/...	6	-	6	8/5	-	-	-	-	-	-	-	x	-	-	x	-	-	-	-	-	-	-	-	x	-	x	-	
WDL 2.5/S/...	6	-	6	8/5	-	-	-	-	-	-	-	x	-	-	x	-	-	-	-	-	-	-	-	-	x	-	x	
WDL 2.5/S/L/L	6	see WDL 2.5 /S/...																										
WDL 2.5/ S/NT/L/PE	6	see WDL 2.5 /S/...																										
WDL 2.5 TR-DU-PE	6	see WDL 2.5/...																										
WDT 1.5	6.5	-	6.5	8/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	
WDTR 2.5...	6.2	-6	12/5	10/5	-	-	-	-	-	-	-	x	x	-	-	-	-	-	-	-	-	-	-	x	-	x	-	
WDU 1.5 LD/BLA	5.08	see WDU 1.5/BLA																										
WDU 1.5/BLA	5.08	-	5	12/5	-	x	-	-	-	-	x	-	x	x	x	-	-	-	-	-	x	x	x	-	x	x	x	
WDU 1.5/ BLZ R7.62	7.62	-	5	5/7.62	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	x	x	-	x	x	x	
WDU 1.5/ BLZ/5.08	5.08	see WDU 1.5/BLA																										
WDU 1.5/ BLZ/LD/5.08	5.08	see WDU 1.5/BLA																										
WDU 1.5/ BLZ/R 5.08	5.08	see WDU 1.5/BLA																										

Terminal markers

Selection table

Terminals

Markers

Tag carriers

Terminal width	Markers			Tag carriers																						
	dekafix	WS	ZS	WS 3	S 10	BZP 2	SchT 1	SchT 3	SchT 7	SchT 8/TBS 1	SchT 9/4	SchT 14/6	WTS 3/4	WGB 5/WAD 5	WGB 8/WAD 8	WAD 12	WAD 27	T 3	T 4	T 5	T 6	WT 4	WT 5	WT 6	ZGB	
WDU 1.5/R/BLA	5.08	see WDU 1.5/BLA																								
WDU 1.5/3.5	3.5	-	3.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WDU 1.5/ZZ	5	-	5	12/5																						
WDU 10	10	-	5	12/5																						
WDU 10 SL	10	-	5	12/5																						
WDU 120/150	32	-	5	12/5																						
WDU 16	12	-	5	12/5																						
WDU 16 N	12	-	5	12/5																						
WDU 16/ZA	12	see WDU 16																								
WDU 2.5	5	-	5	12/5																						
WDU 2.5 F	5	-	5	12/5																						
WDU 2.5 FF	5	-	5	12/5																						
WDU 2.5 L/LL	5	see WDU 2.5																								
WDU 2.5 N																										
(WDU 1.5)	5	-	5	12/5																						
WDU 2.5 T	5	-	5	12/5																						
WDU 2.5/1.5/ZR	5	see WDU 2.5																								
WDU 2.5/1.5/ZZ	5	-	5	12/5																						
WDU 2.5/10/BEZ	5	see WDU 2.5																								
WDU 1.5/																										
BLA R5.08	5.08	see WDU 1.5/BLA																								
WDU 2.5/																										
BLZ R7.62	7.62	-	5	5/7.62																						
WDU 35 N	16	-	5	12/5																						
WDU 35/ZA	16	see WDU 35 N																								
WDU 35	16	-	5	12/5																						
WDU 4	6	-	6	12/6																						
WDU 4 SA	6	see WDU 4																								
WDU 4 SL	6	-	6	12/6																						
WDU 4 SQ	6	-	6	12/6																						
WDU 4/10/BEZ	6	see WDU 4																								
WDU 6	8	-	8	12/5																						
WDU 6/10/BEZ	8	see WDU 6																								
WDU 6 SL	8	-	8	12/5																						
WDU 70/95	27	-	5	12/5																						
WDU 70 N	20.5	-	5	12/5																						
WDUL 4	6	see WDU 4																								
WEW 32/1	12.2	see WEW 35/1																								
WEW 35/1	12.2	-	5	12/5																						
WEW 35/2	8	-	8	12/5																						
WFF 35...	27	-	5	12/5																						
WMA 4	6	see WDU 4																								
WMA 4/4	6	see WDU 4																								
WMA 4/5	6	see WDU 4																								
WNT 10	10	-	5	12/5																						
WNT 16 N	12	-	5	12/5																						
WNT 2.5	5	-	5	12/5																						
WNT 35 N	16	-	5	12/5																						
WNT 4	6	-	6	12/6																						
WNT 6	8	-	8	12/5																						
WNT 70 N	20.5	-	5	12/5																						
WPE 1.5/ZZ	5	see WPE 2.5																								
WPE 10	10	-	5	12/5																						
WPE 120	32	see WDU 120/150																								
WPE 16	12	-	5	12/5																						
WPE 16 N	12	-	5	12/5																						
WPE 2.5	5	-	5	12/5																						
WPE 2.5 N																										
(WPE 1.5)	5	-	5	12/5																						
WPE 2.5/1.5/ZR	5	see WPE 2.5																								
WPE 35	16	-	5	12/5																						
WPE 4	6	-	6	12/6																						
WPE 6	8	-	8	12/5																						
WPE 70 N	20.5	see WDU 70 N																								
WPE 70/95	27	see WDU 70/95																								
WPO 4	6	-	6	10/6																						
WSI 6...	8	-	8	12/5																						
WTD 6/1	8	see WTL 6/1																								
WTL 6/1	8	-	8	12/5																						
WTL 6/1/STB	8	see WTL 6/1																								


Terminal markers

Selection table

Terminals			Markers			Tag carriers																						
Terminal width			dekafix	WS	ZS	WS 3	S 10	BZP 2	Scht 1	Scht 3	Scht 7	Scht 8/TBS 1	Scht 9/4	Scht 14/6	WTS 3/4	WGB 5/WAD 5	WGB 8/WAD 8	WAD 12	WAD 27	T 3	T 4	T 5	T 6	WT 4	WT 5	WT 6	ZGB	
WTL 6/2	8	-	8	12/5		-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	x	x	x	-	x	x	x	x
WTL 6/3/STB	8	see WTL 6/2																										
WTQ 6/1	8	see WTL 6/1																										
WTR 2.5	5	-	5	12/5		x	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
WTR 2.5 D	5	see WTR 2.5																										
WTR 2.5 L/LL	5	see WTR 2.5																										
WTR 2.5 ZZ	5	-	5	12/5		-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZAP/TW ZIA 1.5/...	3.8	-	3.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZBLD 2.5/1.5	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZDK 2.5/1.5...	5	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZDK 4/S/...	6	-	6	-	12/6	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
ZDK 6/S/...	8	-	8	-	-	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-
ZDKB	5	see ZDK 2.5/1.5																										
ZDKS	5	see ZDK 2.5/1.5																										
ZDL 2.5/...	5	-	5	-	10/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x
ZDL 2.5/1.5	5	see ZDL 2.5/...																										
ZDL 2.5/1.5V	5	see ZDL 2.5/...																										
ZDTR 2.5	5	see ZTR 2.5																										
ZDU 10	10	-	5	12/5	15/5	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	x
ZDU 10/S...	10	-	5	10/5	15/5	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x
ZDU 16	12	-	5	12/5	15/5	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	x	x	-	x
ZDU 16/S...	12	-	5	10/5	15/5	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x
ZDU 2.5	5	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZDU 2.5/10	5	see ZDU 2.5																										
ZDU 2.5/2x2AN...	5	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZDU 2.5-2/3AN	5	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZDU 2.5/3AN/10	5	see ZDU 2.5																										
ZDU 2.5-2/4AN	5	s. ZDU 2.5-2/3AN																										
ZDU 2.5/4AN/10	5	see ZDU 2.5																										
ZDU 2.5/3AN	5	see ZDU 2.5																										
ZDU 2.5/4AN	5	s. ZDU 2.5 2x2AN																										
ZDU 35...	16	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZDU 4...	6	-	6	12/6	12/6	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZDU 6...	8	-	8	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZDUA 2.5-2	5	-	5	8/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	-	-	x
ZDUB 2.5-2/2AN	5	-	5	8/5	15/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ZDUB 2.5-2/4AN	5	s. ZDUB 2.5-2/...																										
ZEI 16	16	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZIA 1.5 3L...	5.08	-	5	8/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	-	-	x
ZIA 1.5 4L	5.08	see ZIA 1.5 3L																										
ZK 3 S	5	s. ZKBD 2.5/1.5																										
ZKB	5	s. ZKBD 2.5/1.5																										
ZKBD 2.5/1.5	5	-	5	8/5	10/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZKBD 2.5/1.5 PE	5	see ZKBD 2.5/1.5																										
ZKS	5	see ZKBD 2.5/1.5																										
ZKSD 2.5/1.5	5	see ZKBD 2.5/1.5																										
ZKSD 2.5/1.5 PE	5	see ZKBD 2.5/1.5																										
ZMAK 2.5	5	-	5	10/5	15/5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	x	-	-	x
ZPE 10	10	see ZDU 10																										
ZPE 10/S	10	see ZDU 10/S																										
ZPE 16	12	see ZDU 16																										
ZPE 16/S	12	see ZDU 16/S																										
ZPE 2.5	5	see ZDU 2.5																										
ZPE 2.5/3AN	5	see ZDU 2.5/3AN																										
ZPE 2.5/4AN	5	see ZDU 2.5/4AN																										
ZPE 2.5-2/3AN	5	s. ZDU 2.5-2/3AN																										
ZPE 2.5-2/4AN	5	s. ZDU 2.5-2/4AN																										
ZPE 35	16	see ZDU 35																										
ZPE 4	6	see ZDU 4																										
ZPE 6	8	see ZDU 6																										
ZPEA 2.5-2	5	see ZDUA 2.5-2																										
ZPEB 2.5-2/2AN	5	s. ZDUB 2.5-2/...																										
ZPV 1.5	5.08	-	5	12/5	15/5	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	-	-	-	x	x	x	x
ZRV 1.5...	5	-	5	8/5	10/5	-	-	-	-	-	-	-	x	x	x	-	-	-	-	-	-	-	-	-	-	-	-	-
ZSI 2.5	8	-	8	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZSI 2.5/2	12	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	x	x	x
ZSLD 2.5/1.5	5	see ZBLD 2.5/1.5																										
ZTR 2.5...	5	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	-	-	x
ZTR 2.5/3AN...	5	-	5	12/5	15/5	-	-	-	-	-	-	-	-	-	x	-	-	-	-	-	-	-	-	-	x	-	-	x
ZVL 1.5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Accessories for terminal markers

dekafix



Dekafix (DEK) markers are intended for use with the Weidmüller SAK and Z series. They are flush-fitting, so ensuring an optimal and secure fit. With dekafix you have access to one of the largest ranges with standard print. Dekafix is of course also compatible with all other Weidmüller connectors.

- Connector markers suitable for all Weidmüller wiring and plug-in connectors, also for electronics modules
- The system is especially suitable for short sequences of numbers with ready-to-use print
- Large selection of ready-to-use printed markers
- Strip assembly for rapid fitting in one operation
- Markers available ex-stock in all colours of the international colour code.
- Easy to read high-contrast print.
- Available in 5 widths.

For individual printing

- Marking as plotter print,
- Data acquisition possible from many CAD programs, files or manual lists.
- Available in **MultiCard** format.

Technical data

Material	Polyamide, halogen-free
Flammability acc. to UL 94	V2
Temperature range	- 40 °C to +100 °C
Dimensions	Height x width (pitch) Example: Card height is always 5mm DEK 5 = 5 mm wide, for terminals with 5mm pitch DEK 5/6.5 MC=5mm high, 6.5 mm wide
Colours	available in colours of international resistance colour code, for MC on request ● black, ● brown, ● red, ● orange, ● yellow, ● green, ● blue, ● violet, ● grey, ○ white
Possible marker systems	SMark, Printjet, Plotter, MC-Mobilo, STI Standard print or individual print acc. to specifications (file or list). Wipe resistance based on DIN IEC 50.
Assembly instructions	Strip assembly if the marker pitch (width) corresponds to the terminal pitch. e.g. DEK 0 5mm pitch for terminals with 5mm pitch, such as WDU 2.5. fitting of individual tags if the terminal pitch is larger than the marker pitch, e.g. DEK 6.5 can be individually mounted on WDU 6. Weidmüller markers with pitch (width) 5 mm are suitable for all terminal widths.

Ordering details - DEK cards

Definition of quantity	1 card = 50 pieces (DEK 6.5, DEK 8) 1 double card = 10 strips = 100 pieces (DEK 5; DEK 6)
Order quantity	Order and delivery quantity in number of individual plates, e.g. 500 units
Minimum order quantity	1 package = 500 pieces
Packing	Box or foil bag
Ordering example	Standard print for DEK 5, consecutively horizontal (FW), with numbers 51 ... 100 Cat. No. 0473460000 and Variant No. 0051= 0473460051
Print variants	See appendix; please add Variant No. to Cat. No.

Ordering details - Multicard

Definition of qty.	1mat
Minimum order qty.	See page...
Packing	Box

Number of chars. for using the following plotter fonts

Pen size	0.18	0.25	0.35	0.18	0.25	0.35
Font (Pt.)	10	10	10	4	5	6
Length 3.5	2	2	2	5	4	3
Length 5	2	2	2	5	4	3
Length 6	2	2	2	6	5	4
Length 6.5	3	3	3	7	5	4
Length 8	4	4	4	9	7	6


Notes regarding individual print:

1. Please send along with your written order via disc or e-mail your specifications
 - as Excel file (all data in one column)
 - as ASCII file (all data in one column)
 - additional information such as person in charge or tel. no. for queries should be included in the files
 - E-mail address: Printdata@Weidmueller.de
2. Please indicate the file name with your order
3. Non-electronic orders (Cat. No. for manual input = 1578800000) will cause a higher price and longer delivery time.
4. For individual print MultiCard, we offer to you the order-software **M-Comm 2** (no. 1759790000); see Internet page www.m-comm.de.
For Cat. No., see under software **M-Comm 2**.

Accessories for terminal markers

dekafix (for variants, see Appendix starting on page 296)

Print example standard



DEK (MultiCard)
Terminal markers




consecutive
horizontal
(GW)




consecutive
horizontal (FW)




consecutive
horizontal
in rows (FWZ)



consecutive
vertical (GS)



consecutive
vertical (FS)



consecutive
vertical
in rows (FSZ)

Terminal width ≥ 5 mm			
Type	Colour	Cat. No.	Qty.
dekafix 5 (DEK 5)			
Standard print		see Appendix	
Imprint			
DEK 5	white	Page 88 onw.	500
Letters, Numbers, Special mark			
Custom specific print			
DEK 5	white	0490760000	500
orange, red, grey, yellow, brown, green, blue, violet			
		0490790000	500
Specify the desired colour			
DEK 5/5	MultiCard	1609810000	200
Neutral			
DEK 5	white	0473361044	500
DEK 5	orange	0473391690	500
DEK 5	red	0473391686	500
DEK 5	grey	0473391691	500
DEK 5	yellow	0473391687	500
DEK 5	brown	0473391692	500
DEK 5	green	0473391688	500
DEK 5	blue	0473391693	500
DEK 5	violet	0473391689	500
DEK 5	black	0473391694	500
DEK 5/5	MultiCard	1609800000	1000

Terminal width ≥ 6 mm			
Type	Colour	Cat. No.	Qty.
dekafix 6 (DEK 6)			
Standard print		see Appendix	
Imprint			
DEK 6	white	Page 88 onw.	500
Letters, Numbers, Special mark			
Custom specific print			
DEK 6	white	0490360000	500
orange, red, grey, yellow, brown, green, blue, violet			
		0490390000	500
Specify the desired colour			
DEK 5/6	MultiCard	1609830000	200
Neutral			
DEK 6	white	0468561044	500
DEK 6	orange	0468591690	500
DEK 6	red	0468591686	500
DEK 6	grey	0468591691	500
DEK 6	yellow	0468591687	500
DEK 6	brown	0468591692	500
DEK 6	green	0468591688	500
DEK 6	blue	0468591693	500
DEK 6	violet	0468591689	500
DEK 6	black	0468591694	500
DEK 5/6	MultiCard	1609820000	1000


Terminal width ≥ 6.5 mm			
Type	Colour	Cat. No.	Qty.
dekafix 6.5 (DEK 6.5)			
Standard print		see Appendix	
Imprint			
DEK 6.5	white	Page 88 onw.	500
Letters, Numbers, Special mark			
Custom specific print			
DEK 6.5	white	0490560000	500
orange, red, grey, yellow, brown, green, blue, violet			
		0490590000	500
Specify the desired colour			
DEK 5/6.5	MultiCard	1609850000	180
Neutral			
DEK 6.5	white	0468061044	500
DEK 6.5	orange	0468091690	500
DEK 6.5	red	0468091686	500
DEK 6.5	yellow	0468091687	500
DEK 6.5	green	0468091688	500
DEK 6.5	blue	0468091693	500
DEK 6.5	violet	0468091689	500
DEK 6.5	black	0468091694	500
DEK 5/6.5	MultiCard	1609840000	1000

Terminal width ≥ 8 mm			
Type	Colour	Cat. No.	Qty.
dekafix 8 (DEK 8)			
Standard print		see Appendix	
Imprint			
DEK 8	white	Page 88 onw.	500
Numbers			
Custom specific print			
DEK 8	white	1326660000	500
orange, red, grey, yellow, brown, green, blue, violet			
		1326690000	500
Specify the desired colour			
DEK 8 = Base not centred			

Terminal width ≥ 8 mm			
Type	Colour	Cat. No.	Qty.
dekafix 8 (DEK 8)			
Neutral			
DEK 8	white	1277060000	500
DEK 8	orange	1277091690	500
DEK 8	red	1277091686	500
DEK 8	grey	1277091691	500
DEK 8	yellow	1277091687	500
DEK 8	brown	1277091692	500
DEK 8	green	1277091688	500
DEK 8	blue	1277091693	500
DEK 8	violet	1277091689	500
DEK 8	black	1277091694	500

Terminal width ≥ 3.5 mm			
Type	Colour	Cat. No.	Qty.
dekafix MC 5/3.5 (DEK 5/3.5)			
Standard print		see Appendix	
Imprint			
DEK 5/3.5	MultiCard	white	Seite 88
Numbers			
Custom specific print			
DEK 5/3.5	MultiCard	white	1767730000
Neutral			
DEK 5/3.5	MultiCard	white	1755270000

DEK Variants



Type / Imprint	Cat. No.	Type / Imprint	Cat. No.	Type / Imprint	Cat. No.
DEK 5 FW 10-500	0132660010	DEK 5 GN NEUTRAL	0473391688	DEK 5 GW 23	0522660023
DEK 5 FW COLOURED	0132690000	DEK 5 VI NEUTRAL	0473391689	DEK 5 GW 24	0522660024
DEK 5 GS A	0132961021	DEK 5 OR NEUTRAL	0473391690	DEK 5 GW 25	0522660025
DEK 5 GS B	0132961022	DEK 5 GR NEUTRAL	0473391691	DEK 5 GW 26	0522660026
DEK 5 GS C	0132961023	DEK 5 BR NEUTRAL	0473391692	DEK 5 GW 27	0522660027
DEK 5 GS D	0132961024	DEK 5 BL NEUTRAL	0473391693	DEK 5 GW 28	0522660028
DEK 5 GS E	0132961025	DEK 5 SW NEUTRAL	0473391694	DEK 5 GW 29	0522660029
DEK 5 GS F	0132961026	DEK 5 FW 1-50	0473460001	DEK 5 GW 30	0522660030
DEK 5 GS G	0132961027	DEK 5 FW 51-100	0473460051	DEK 5 GW 31	0522660031
DEK 5 GS H	0132961028	DEK 5 FW 101-150	0473460101	DEK 5 GW 32	0522660032
DEK 5 GS I	0132961029	DEK 5 FW 151-200	0473460151	DEK 5 GW 33	0522660033
DEK 5 GS J	0132961030	DEK 5 FW 201-250	0473460201	DEK 5 GW 34	0522660034
DEK 5 GS K	0132961031	DEK 5 FW 251-300	0473460251	DEK 5 GW 35	0522660035
DEK 5 GS L	0132961032	DEK 5 FW 301-350	0473460301	DEK 5 GW 36	0522660036
DEK 5 GS M	0132961033	DEK 5 FW 351-400	0473460351	DEK 5 GW 37	0522660037
DEK 5 GS N	0132961034	DEK 5 FW 401-450	0473460401	DEK 5 GW 38	0522660038
DEK 5 GS O	0132961035	DEK 5 FW 451-500	0473460451	DEK 5 GW 39	0522660039
DEK 5 GS P	0132961036	DEK 5 FW 501-550	0473460501	DEK 5 GW 40	0522660040
DEK 5 GS Q	0132961037	DEK 5 FW 551-600	0473460551	DEK 5 GW 41	0522660041
DEK 5 GS R	0132961038	DEK 5 FW 601-650	0473460601	DEK 5 GW 42	0522660042
DEK 5 GS S	0132961039	DEK 5 FW 651-700	0473460651	DEK 5 GW 43	0522660043
DEK 5 GS T	0132961040	DEK 5 FW 701-750	0473460701	DEK 5 GW 44	0522660044
DEK 5 GS U	0132961041	DEK 5 FW 751-800	0473460751	DEK 5 GW 45	0522660045
DEK 5 GS V	0132961042	DEK 5 FW 801-850	0473460801	DEK 5 GW 46	0522660046
DEK 5 GS W	0132961043	DEK 5 FW 851-900	0473460851	DEK 5 GW 47	0522660047
DEK 5 GS X	0132961044	DEK 5 FW 901-950	0473460901	DEK 5 GW 48	0522660048
DEK 5 GS Y	0132961045	DEK 5 FW 951-999	0473460951	DEK 5 GW 49	0522660049
DEK 5 GS Z	0132961046	DEK 5 FS 1-50	0473560001	DEK 5 GW 50	0522660050
DEK 5 FW U1-PE1	0133161114	DEK 5 FS 51-100	0473560051	DEK 5 GW 51	0522660051
DEK 5 FW U2-PE2	0133161115	DEK 5 FS 101-150	0473560101	DEK 5 GW 52	0522660052
DEK 5 FW U3-PE3	0133161116	DEK 5 FS 151-200	0473560151	DEK 5 GW 53	0522660053
DEK 5 FW U4-PE4	0133161117	DEK 5 FS 201-250	0473560201	DEK 5 GW 54	0522660054
DEK 5 FW U5-PE5	0133161118	DEK 5 FS 251-300	0473560251	DEK 5 GW 55	0522660055
DEK 5 FW U6-PE6	0133161119	DEK 5 FS 301-350	0473560301	DEK 5 GW 56	0522660056
DEK 5 FW U7-PE7	0133161120	DEK 5 FS 351-400	0473560351	DEK 5 GW 57	0522660057
DEK 5 FW U8-PE8	0133161121	DEK 5 FS 401-450	0473560401	DEK 5 GW 58	0522660058
DEK 5 FW U9-PE9	0133161122	DEK 5 FS 451-500	0473560451	DEK 5 GW 59	0522660059
DEK 5 FW X1-Z1	0133261150	DEK 5 FS 501-550	0473560501	DEK 5 GW 60	0522660060
DEK 5 FW X2-Z2	0133261151	DEK 5 FS 551-600	0473560551	DEK 5 GW 61	0522660061
DEK 5 FW X3-Z3	0133261152	DEK 5 FS 601-650	0473560601	DEK 5 GW 62	0522660062
DEK 5 FW X4-Z4	0133261153	DEK 5 FS 651-700	0473560651	DEK 5 GW 63	0522660063
DEK 5 FW X5-Z5	0133261154	DEK 5 FS 701-750	0473560701	DEK 5 GW 64	0522660064
DEK 5 FW X6-Z6	0133261155	DEK 5 FS 751-800	0473560751	DEK 5 GW 65	0522660065
DEK 5 FW X7-Z7	0133261156	DEK 5 FS 801-850	0473560801	DEK 5 GW 66	0522660066
DEK 5 FW X8-Z8	0133261157	DEK 5 FS 851-900	0473560851	DEK 5 GW 67	0522660067
DEK 5 FW X9-Z9	0133261158	DEK 5 FS 901-950	0473560901	DEK 5 GW 68	0522660068
DEK 5 FW X10-Z10	0133261159	DEK 5 FS 951-999	0473560951	DEK 5 GW 69	0522660069
DEK 5 GS PE	0157261187	DEK 5 GW L1	0522361075	DEK 5 GW 70	0522660070
DEK 5 GS \perp	0157261202	DEK 5 GW L2	0522361076	DEK 5 GW 71	0522660071
DEK 5 GS \oplus	0157261203	DEK 5 GW L3	0522361077	DEK 5 GW 72	0522660072
DEK 5 GS MP	0157261235	DEK 5 GW 1	0522660001	DEK 5 GW 73	0522660073
DEK 5 FWZ 1-19	0235860000	DEK 5 GW 2	0522660002	DEK 5 GW 74	0522660074
DEK 5 FWZ 21-39	0235960000	DEK 5 GW 3	0522660003	DEK 5 GW 75	0522660075
DEK 5 FWZ 41-59	0236060000	DEK 5 GW 4	0522660004	DEK 5 GW 76	0522660076
DEK 5 FWZ 2-20	0236160000	DEK 5 GW 5	0522660005	DEK 5 GW 77	0522660077
DEK 5 FWZ 22-40	0236260000	DEK 5 GW 6	0522660006	DEK 5 GW 78	0522660078
DEK 5 FWZ 42-60	0236360000	DEK 5 GW 7	0522660007	DEK 5 GW 79	0522660079
DEK 5 FWZ L1-PE	0354361187	DEK 5 GW 8	0522660008	DEK 5 GW 80	0522660080
DEK 5 FWZ L1-EIK	0354361203	DEK 5 GW 9	0522660009	DEK 5 GW 81	0522660081
DEK 5 FSZ 1-10	0460660001	DEK 5 GW 10	0522660010	DEK 5 GW 82	0522660082
DEK 5 FSZ 11-20	0460660011	DEK 5 GW 11	0522660011	DEK 5 GW 83	0522660083
DEK 5 FSZ 21-30	0460660021	DEK 5 GW 12	0522660012	DEK 5 GW 84	0522660084
DEK 5 FSZ 31-40	0460660031	DEK 5 GW 13	0522660013	DEK 5 GW 85	0522660085
DEK 5 FSZ 41-50	0460660041	DEK 5 GW 14	0522660014	DEK 5 GW 86	0522660086
DEK 5 FSZ 51-60	0460660051	DEK 5 GW 15	0522660015	DEK 5 GW 87	0522660087
DEK 5 FSZ 61-70	0460660061	DEK 5 GW 16	0522660016	DEK 5 GW 88	0522660088
DEK 5 FSZ 71-80	0460660071	DEK 5 GW 17	0522660017	DEK 5 GW 89	0522660089
DEK 5 FSZ 81-90	0460660081	DEK 5 GW 18	0522660018	DEK 5 GW 90	0522660090
DEK 5 FSZ 91-100	0460660091	DEK 5 GW 19	0522660019	DEK 5 GW 91	0522660091
DEK 5 NEUTRAL	0473360000	DEK 5 GW 20	0522660020	DEK 5 GW 92	0522660092
DEK 5 RT NEUTRAL	0473391686	DEK 5 GW 21	0522660021	DEK 5 GW 93	0522660093
DEK 5 GE NEUTRAL	0473391687	DEK 5 GW 22	0522660022	DEK 5 GW 94	0522660094

DEK Variants

Type / Imprint	Cat. No.	Type / Imprint	Cat. No.	Type / Imprint	Cat. No.
DEK 5 GW 95	0522660095	DEK 5 GW 167	0522660167	DEK 5 GW M SMALL	0522861059
DEK 5 GW 96	0522660096	DEK 5 GW 168	0522660168	DEK 5 GW N SMALL	0522861060
DEK 5 GW 97	0522660097	DEK 5 GW 169	0522660169	DEK 5 GW O SMALL	0522861061
DEK 5 GW 98	0522660098	DEK 5 GW 170	0522660170	DEK 5 GW P SMALL	0522861062
DEK 5 GW 99	0522660099	DEK 5 GW 171	0522660171	DEK 5 GW Q SMALL	0522861063
DEK 5 GW 100	0522660100	DEK 5 GW 172	0522660172	DEK 5 GW R SMALL	0522861064
DEK 5 GW 101	0522660101	DEK 5 GW 173	0522660173	DEK 5 GW S SMALL	0522861065
DEK 5 GW 102	0522660102	DEK 5 GW 174	0522660174	DEK 5 GW T SMALL	0522861066
DEK 5 GW 103	0522660103	DEK 5 GW 175	0522660175	DEK 5 GW U SMALL	0522861067
DEK 5 GW 104	0522660104	DEK 5 GW 176	0522660176	DEK 5 GW V SMALL	0522861068
DEK 5 GW 105	0522660105	DEK 5 GW 177	0522660177	DEK 5 GW W SMALL	0522861069
DEK 5 GW 106	0522660106	DEK 5 GW 178	0522660178	DEK 5 GW X SMALL	0522861070
DEK 5 GW 107	0522660107	DEK 5 GW 179	0522660179	DEK 5 GW Y SMALL	0522861071
DEK 5 GW 108	0522660108	DEK 5 GW 180	0522660180	DEK 5 GW Z SMALL	0522861072
DEK 5 GW 109	0522660109	DEK 5 GW 181	0522660181	DEK 5 FWZ 1-10	0523060001
DEK 5 GW 110	0522660110	DEK 5 GW 182	0522660182	DEK 5 FWZ 11-20	0523060011
DEK 5 GW 111	0522660111	DEK 5 GW 183	0522660183	DEK 5 FWZ 21-30	0523060021
DEK 5 GW 112	0522660112	DEK 5 GW 184	0522660184	DEK 5 FWZ 31-40	0523060031
DEK 5 GW 113	0522660113	DEK 5 GW 185	0522660185	DEK 5 FWZ 41-50	0523060041
DEK 5 GW 114	0522660114	DEK 5 GW 186	0522660186	DEK 5 FWZ 51-60	0523060051
DEK 5 GW 115	0522660115	DEK 5 GW 187	0522660187	DEK 5 FWZ 61-70	0523060061
DEK 5 GW 116	0522660116	DEK 5 GW 188	0522660188	DEK 5 FWZ 71-80	0523060071
DEK 5 GW 117	0522660117	DEK 5 GW 189	0522660189	DEK 5 FWZ 81-90	0523060081
DEK 5 GW 118	0522660118	DEK 5 GW 190	0522660190	DEK 5 FWZ 91-100	0523060091
DEK 5 GW 119	0522660119	DEK 5 GW 191	0522660191	DEK 5 GW PE	0537261187
DEK 5 GW 120	0522660120	DEK 5 GW 192	0522660192	DEK 5 GW PEN	0537261188
DEK 5 GW 121	0522660121	DEK 5 GW 193	0522660193	DEK 5 GW SL	0537261191
DEK 5 GW 122	0522660122	DEK 5 GW 194	0522660194	DEK 5 GW MP	0537261235
DEK 5 GW 123	0522660123	DEK 5 GW 195	0522660195	DEK 5 FWZ U,V,W,N,PE	0558360000
DEK 5 GW 124	0522660124	DEK 5 GW 196	0522660196	DEK 5 GW	0576261000
DEK 5 GW 125	0522660125	DEK 5 GW 197	0522660197	DEK 5 GW +	0576261198
DEK 5 GW 126	0522660126	DEK 5 GW 198	0522660198	DEK 5 GW -	0576261199
DEK 5 GW 127	0522660127	DEK 5 GW 199	0522660199	DEK 5 GW ⚡	0576261202
DEK 5 GW 128	0522660128	DEK 5 GW 200	0522660200	DEK 5 GW ⚡	0576261203
DEK 5 GW 129	0522660129	DEK 5 GW A	0522761021	DEK 5 GW W-CURRENT	0576261215
DEK 5 GW 130	0522660130	DEK 5 GW B	0522761022	DEK 5 GW RT/SW +	0576291737
DEK 5 GW 131	0522660131	DEK 5 GW C	0522761023	DEK 5 GW BU/SW -	0576291741
DEK 5 GW 132	0522660132	DEK 5 GW D	0522761024	DEK 5 FSZ 2.4,6...16	0582360002
DEK 5 GW 133	0522660133	DEK 5 GW E	0522761025	DEK 5 FSZ 18,20,...32	0582360018
DEK 5 GW 134	0522660134	DEK 5 GW F	0522761026	DEK 5 FW 1.3,5,...99	1358460000
DEK 5 GW 135	0522660135	DEK 5 GW G	0522761027	DEK 5 FW 2.4,...100	1358560000
DEK 5 GW 136	0522660136	DEK 5 GW H	0522761028	DEK 5 FWZ 1-9	1572000000
DEK 5 GW 137	0522660137	DEK 5 GW I	0522761029	DEK 5/3.5 MC NEUTRAL	1755270000
DEK 5 GW 138	0522660138	DEK 5 GW J	0522761030	DEK 5/3.5 MC GW 1	1755280001
DEK 5 GW 139	0522660139	DEK 5 GW K	0522761031	DEK 5/3.5 MC GW 2	1755280002
DEK 5 GW 140	0522660140	DEK 5 GW L	0522761032	DEK 5/3.5 MC GW 3	1755280003
DEK 5 GW 141	0522660141	DEK 5 GW M	0522761033	DEK 5/3.5 MC GW 4	1755280004
DEK 5 GW 142	0522660142	DEK 5 GW N	0522761034	DEK 5/3.5 MC GW 5	1755280005
DEK 5 GW 143	0522660143	DEK 5 GW O	0522761035	DEK 5/3.5 MC GW 6	1755280006
DEK 5 GW 144	0522660144	DEK 5 GW P	0522761036	DEK 5/3.5 MC GW 7	1755280007
DEK 5 GW 145	0522660145	DEK 5 GW Q	0522761037	DEK 5/3.5 MC GW 8	1755280008
DEK 5 GW 146	0522660146	DEK 5 GW R	0522761038	DEK 5/3.5 MC GW 9	1755280009
DEK 5 GW 147	0522660147	DEK 5 GW S	0522761039	DEK 5/3.5 MC GW 0	1755281000
DEK 5 GW 148	0522660148	DEK 5 GW T	0522761040	DEK 5/3.5 MC FS 1-10	1762320001
DEK 5 GW 149	0522660149	DEK 5 GW U	0522761041	DEK 5/3.5 MC FS 11-20	1762320011
DEK 5 GW 150	0522660150	DEK 5 GW V	0522761042	DEK 5/3.5 MC FS 21-30	1762320021
DEK 5 GW 151	0522660151	DEK 5 GW W	0522761043	DEK 5/3.5 MC FS 31-40	1762320031
DEK 5 GW 152	0522660152	DEK 5 GW X	0522761044	DEK 5/3.5 MC FS 41-50	1762320041
DEK 5 GW 153	0522660153	DEK 5 GW Y	0522761045	DEK 5/3.5 MC FS 51-60	1762320051
DEK 5 GW 154	0522660154	DEK 5 GW Z	0522761046	DEK 5/3.5 MC FS 61-70	1762320061
DEK 5 GW 155	0522660155	DEK 5 GW A SMALL	0522861047	DEK 5/3.5 MC FS 71-80	1762320071
DEK 5 GW 156	0522660156	DEK 5 GW B SMALL	0522861048	DEK 5/3.5 MC FS 81-90	1762320081
DEK 5 GW 157	0522660157	DEK 5 GW C SMALL	0522861049	DEK 5/3.5 MC FS 91-100	1762320091
DEK 5 GW 158	0522660158	DEK 5 GW D SMALL	0522861050	DEK 5/3.5 MC FS 101-110	1762320101
DEK 5 GW 159	0522660159	DEK 5 GW E SMALL	0522861051	DEK 5/3.5 MC FS 111-120	1762320111
DEK 5 GW 160	0522660160	DEK 5 GW F SMALL	0522861052	DEK 5/3.5 MC FS 121-130	1762320121
DEK 5 GW 161	0522660161	DEK 5 GW G SMALL	0522861053	DEK 5/3.5 MC FS 131-140	1762320131
DEK 5 GW 162	0522660162	DEK 5 GW H SMALL	0522861054	DEK 5/3.5 MC FS 141-150	1762320141
DEK 5 GW 163	0522660163	DEK 5 GW I SMALL	0522861055	DEK 5/3.5 MC FS printed	1767730000
DEK 5 GW 164	0522660164	DEK 5 GW J SMALL	0522861056	DEK 5/5 MC-10 NEUT. VAR	1609800000
DEK 5 GW 165	0522660165	DEK 5 GW K SMALL	0522861057	DEK 5/5 MC-10 NEUT. WS	1609801044
DEK 5 GW 166	0522660166	DEK 5 GW L SMALL	0522861058	DEK 5/5 MC-10 NEUT. RT	1609801686

DEK Variants


Type / Imprint	Cat. No.	Type / Imprint	Cat. No.	Type / Imprint	Cat. No.
DEK 5/5 MC-10 NEUT. GE	1609801687	DEK 6 FWZ 51-60	0518960051	DEK 6 GW 57	0526960057
DEK 5/5 MC-10 NEUT. GN	1609801688	DEK 6 FWZ 61-70	0518960061	DEK 6 GW 58	0526960058
DEK 5/5 MC-10 NEUT. GR	1609801691	DEK 6 FWZ 71-80	0518960071	DEK 6 GW 59	0526960059
DEK 5/5 MC-10 NEUT. BL	1609801693	DEK 6 FWZ 81-90	0518960081	DEK 6 GW 60	0526960060
DEK 5/5 MC PRINTED	1609810000	DEK 6 FWZ 91-100	0518960091	DEK 6 GW 61	0526960061
DEK 5/7.5 MC NEUTRAL	1720620000	DEK 6 FWZ 101-110	0518960101	DEK 6 GW 62	0526960062
DEK 5/6.5 MC NEUTRAL	1609840000	DEK 6 FWZ 111-120	0518960111	DEK 6 GW 63	0526960063
DEK 6 FSZ 1-10	0133360001	DEK 6 FWZ 121-130	0518960121	DEK 6 GW 64	0526960064
DEK 6 FSZ 11-20	0133360011	DEK 6 FWZ 131-140	0518960131	DEK 6 GW 65	0526960065
DEK 6 FSZ 21-30	0133360021	DEK 6 FWZ 141-150	0518960141	DEK 6 GW 66	0526960066
DEK 6 FSZ 31-40	0133360031	DEK 6 FWZ 151-160	0518960151	DEK 6 GW 67	0526960067
DEK 6 FSZ 41-50	0133360041	DEK 6 FWZ 161-170	0518960161	DEK 6 GW 68	0526960068
DEK 6 FSZ 51-60	0133360051	DEK 6 FWZ 171-180	0518960171	DEK 6 GW 69	0526960069
DEK 6 FSZ 61-70	0133360061	DEK 6 FWZ 181-190	0518960181	DEK 6 GW 70	0526960070
DEK 6 FSZ 71-80	0133360071	DEK 6 FWZ 191-200	0518960191	DEK 6 GW 71	0526960071
DEK 6 FSZ 81-90	0133360081	DEK 6 FWZ 201-210	0518960201	DEK 6 GW 72	0526960072
DEK 6 FSZ 91-100	0133360091	DEK 6 GW 1	0526960001	DEK 6 GW 73	0526960073
DEK 6 NEUTRAL	0468560000	DEK 6 GW 2	0526960002	DEK 6 GW 74	0526960074
DEK 6 RT NEUTRAL	0468591686	DEK 6 GW 3	0526960003	DEK 6 GW 75	0526960075
DEK 6 GE NEUTRAL	0468591687	DEK 6 GW 4	0526960004	DEK 6 GW 76	0526960076
DEK 6 GN NEUTRAL	0468591688	DEK 6 GW 5	0526960005	DEK 6 GW 77	0526960077
DEK 6 VI NEUTRAL	0468591689	DEK 6 GW 6	0526960006	DEK 6 GW 78	0526960078
DEK 6 OR NEUTRAL	0468591690	DEK 6 GW 7	0526960007	DEK 6 GW 79	0526960079
DEK 6 GR NEUTRAL	0468591691	DEK 6 GW 8	0526960008	DEK 6 GW 80	0526960080
DEK 6 BR NEUTRAL	0468591692	DEK 6 GW 9	0526960009	DEK 6 GW 81	0526960081
DEK 6 BL NEUTRAL	0468591693	DEK 6 GW 10	0526960010	DEK 6 GW 82	0526960082
DEK 6 SW NEUTRAL	0468591694	DEK 6 GW 11	0526960011	DEK 6 GW 83	0526960083
DEK 6 FW 1-50	0468660001	DEK 6 GW 12	0526960012	DEK 6 GW 84	0526960084
DEK 6 FW 51-100	0468660051	DEK 6 GW 13	0526960013	DEK 6 GW 85	0526960085
DEK 6 FW 101-150	0468660101	DEK 6 GW 14	0526960014	DEK 6 GW 86	0526960086
DEK 6 FW 151-200	0468660151	DEK 6 GW 15	0526960015	DEK 6 GW 87	0526960087
DEK 6 FW 201-250	0468660201	DEK 6 GW 16	0526960016	DEK 6 GW 88	0526960088
DEK 6 FW 251-300	0468660251	DEK 6 GW 17	0526960017	DEK 6 GW 89	0526960089
DEK 6 FW 301-350	0468660301	DEK 6 GW 18	0526960018	DEK 6 GW 90	0526960090
DEK 6 FW 351-400	0468660351	DEK 6 GW 19	0526960019	DEK 6 GW 91	0526960091
DEK 6 FW 401-450	0468660401	DEK 6 GW 20	0526960020	DEK 6 GW 92	0526960092
DEK 6 FW 451-500	0468660451	DEK 6 GW 21	0526960021	DEK 6 GW 93	0526960093
DEK 6 FW 501-550	0468660501	DEK 6 GW 22	0526960022	DEK 6 GW 94	0526960094
DEK 6 FW 551-600	0468660551	DEK 6 GW 23	0526960023	DEK 6 GW 95	0526960095
DEK 6 FW 601-650	0468660601	DEK 6 GW 24	0526960024	DEK 6 GW 96	0526960096
DEK 6 FW 651-700	0468660651	DEK 6 GW 25	0526960025	DEK 6 GW 97	0526960097
DEK 6 FW 701-750	0468660701	DEK 6 GW 26	0526960026	DEK 6 GW 98	0526960098
DEK 6 FW 751-800	0468660751	DEK 6 GW 27	0526960027	DEK 6 GW 99	0526960099
DEK 6 FW 801-850	0468660801	DEK 6 GW 28	0526960028	DEK 6 GW 100	0526960100
DEK 6 FW 851-900	0468660851	DEK 6 GW 29	0526960029	DEK 6 GW 200	0526960200
DEK 6 FW 901-950	0468660901	DEK 6 GW 30	0526960030	DEK 5/6 MC NEUTRAL	1609820000
DEK 6 FW 951-999	0468660951	DEK 6 GW 31	0526960031	DEK 5/6 MC PRINTED	1609830000
DEK 6 FS 1-50	0468760001	DEK 6 GW 32	0526960032	DEK 6 FW 1.3.5...99	1358660000
DEK 6 FS 51-100	0468760051	DEK 6 GW 33	0526960033	DEK 6 FW 2.4,...100	1358736000
DEK 6 FS 101-150	0468760101	DEK 6 GW 34	0526960034	DEK 6 FWZ R,S,T,N,⊥	0631860000
DEK 6 FS 151-200	0468760151	DEK 6 GW 35	0526960035	DEK 6 FWZ L1-PE	0631961187
DEK 6 FS 201-250	0468760201	DEK 6 GW 36	0526960036	DEK 6 FWZ L1-⊕	0631961203
DEK 6 FS 251-300	0468760251	DEK 6 GW 37	0526960037	DEK 6 GW PE	1318061187
DEK 6 FS 301-350	0468760301	DEK 6 GW 38	0526960038	DEK 6 GW +	1318061198
DEK 6 FS 351-400	0468760351	DEK 6 GW 39	0526960039	DEK 6 GW -	1318061199
DEK 6 FS 401-450	0468760401	DEK 6 GW 40	0526960040	DEK 6 GW ⊥	1318061202
DEK 6 FS 451-500	0468760451	DEK 6 GW 41	0526960041	DEK 6 GW ⊕	1318061203
DEK 6 FS 501-550	0468760501	DEK 6 GW 42	0526960042	DEK 6 GW W-CURRENT	1318061215
DEK 6 FS 551-600	0468760551	DEK 6 GW 43	0526960043	DEK 6 GW RT/SW +	1318091737
DEK 6 FS 601-650	0468760601	DEK 6 GW 44	0526960044	DEK 6 GW BL/SW -	1318091741
DEK 6 FS 651-700	0468760651	DEK 6 GW 45	0526960045	DEK 6 FW L,N,PE	0632560000
DEK 6 FS 701-750	0468760701	DEK 6 GW 46	0526960046	DEK 6 FW 1-5 (10X)	0688660000
DEK 6 FS 751-800	0468760751	DEK 6 GW 47	0526960047	DEK 6.5 FSZ 1-10	0407360001
DEK 6 FS 801-850	0468760801	DEK 6 GW 48	0526960048	DEK 6.5 FSZ 11-20	0407360011
DEK 6 FS 851-900	0468760851	DEK 6 GW 49	0526960049	DEK 6.5 FSZ 21-30	0407360021
DEK 6 FS 901-950	0468760901	DEK 6 GW 50	0526960050	DEK 6.5 FSZ 31-40	0407360031
DEK 6 FS 951-999	0468760951	DEK 6 GW 51	0526960051	DEK 6.5 FSZ 41-50	0407360041
DEK 6 FWZ 1-10	0518960001	DEK 6 GW 52	0526960052	DEK 6.5 FSZ 51-60	0407360051
DEK 6 FWZ 11-20	0518960011	DEK 6 GW 53	0526960053	DEK 6.5 FSZ 61-70	0407360061
DEK 6 FWZ 21-30	0518960021	DEK 6 GW 54	0526960054	DEK 6.5 FSZ 71-80	0407360071
DEK 6 FWZ 31-40	0518960031	DEK 6 GW 55	0526960055	DEK 6.5 FSZ 81-90	0407360081
DEK 6 FWZ 41-50	0518960041	DEK 6 GW 56	0526960056	DEK 6.5 FSZ 91-100	0407360091

DEK Variants

Type / Imprint	Cat. No.	Type / Imprint	Cat. No.
DEK 6.5 NEUTRAL	0468060000	DEK 8 FWZ 31-40	1276960031
DEK 6.5 RT NEUTRAL	0468091686	DEK 8 FWZ 41-50	1276960041
DEK 6.5 GE NEUTRAL	0468091687	DEK 8 FWZ 51-60	1276960051
DEK 6.5 GN NEUTRAL	0468091688	DEK 8 FWZ 61-70	1276960061
DEK 6.5 VI NEUTRAL	0468091689	DEK 8 FWZ 71-80	1276960071
DEK 6.5 OR NEUTRAL	0468091690	DEK 8 FWZ 81-90	1276960081
DEK 6.5 BL NEUTRAL	0468091693	DEK 8 FWZ 91-100	1276960091
DEK 6.5 SW NEUTRAL	0468091694	DEK 8 FWZ 101-110	1276960101
DEK 6.5 FW 1-50	0468160001	DEK 8 FWZ 111-120	1276960111
DEK 6.5 FW 51-100	0468160051	DEK 8 FWZ 121-130	1276960121
DEK 6.5 FW 101-150	0468160101	DEK 8 FWZ 131-140	1276960131
DEK 6.5 FW 151-200	0468160151	DEK 8 FWZ 141-150	1276960141
DEK 6.5 FW 201-250	0468160201	DEK 8 NEUTRAL	1277060000
DEK 6.5 FW 251-300	0468160251	DEK 8 RT NEUTRAL	1277091686
DEK 6.5 FW 301-350	0468160301	DEK 8 GE NEUTRAL	1277091687
DEK 6.5 FW 351-400	0468160351	DEK 8 GN NEUTRAL	1277091688
DEK 6.5 FW 401-450	0468160401	DEK 8 VI NEUTRAL	1277091689
DEK 6.5 FW 451-500	0468160451	DEK 8 OR NEUTRAL	1277091690
DEK 6.5 FW 501-550	0468160501	DEK 8 FSZ 1-10	1289660001
DEK 6.5 FW 551-600	0468160551	DEK 8 FSZ 11-20	1289660011
DEK 6.5 FW 601-650	0468160601	DEK 8 FSZ 21-30	1289660021
DEK 6.5 FW 651-700	0468160651	DEK 8 FSZ 31-40	1289660031
DEK 6.5 FW 701-750	0468160701	DEK 8 FSZ 41-50	1289660041
DEK 6.5 FW 751-800	0468160751	DEK 8 FSZ 51-60	1289660051
DEK 6.5 FW 801-850	0468160801	DEK 8 FSZ 61-70	1289660061
DEK 6.5 FW 851-900	0468160851	DEK 8 FSZ 71-80	1289660071
DEK 6.5 FW 901-950	0468160901	DEK 8 FSZ 81-90	1289660081
DEK 6.5 FW 951-999	0468160951	DEK 8 FSZ 91-100	1289660091
DEK 6.5 FS 1-50	0468260001	DEK 8 PRINTED/COLOURED	1289690000
DEK 6.5 FS 51-100	0468260051	DEK 8 SPECIAL PRINT WHITE	1326660000
DEK 6.5 FS 101-150	0468260101	DEK 8 SPECIAL PRINT COLOURED	1326690000
DEK 6.5 FS 151-200	0468260151		
DEK 6.5 FS 201-250	0468260201		
DEK 6.5 FS 251-300	0468260251		
DEK 6.5 FS 301-350	0468260301		
DEK 6.5 FS 351-400	0468260351		
DEK 6.5 FS 401-450	0468260401		
DEK 6.5 FS 451-500	0468260451		
DEK 6.5 FS 501-550	0468260501		
DEK 6.5 FS 551-600	0468260551		
DEK 6.5 FS 601-650	0468260601		
DEK 6.5 FS 651-700	0468260651		
DEK 6.5 FS 701-750	0468260701		
DEK 6.5 FS 751-800	0468260751		
DEK 6.5 FS 801-850	0468260801		
DEK 6.5 FS 851-900	0468260851		
DEK 6.5 FS 901-950	0468260901		
DEK 6.5 FS 951-999	0468260951		
DEK 6.5 FWZ 1-10	0519060001		
DEK 6.5 FWZ 11-20	0519060011		
DEK 6.5 FWZ 21-30	0519060021		
DEK 6.5 FWZ 31-40	0519060031		
DEK 6.5 FWZ 41-50	0519060041		
DEK 6.5 FWZ 51-60	0519060051		
DEK 6.5 FWZ 61-70	0519060061		
DEK 6.5 FWZ 71-80	0519060071		
DEK 6.5 FWZ 81-90	0519060081		
DEK 6.5 FWZ 91-100	0519060091		
DEK 6.5 FWZ R,S,T,N,ERD	0632060000		
DEK 6.5 FW L1-PE	0632161187		
DEK 6.5 FW L1-Ⓢ	0632161203		
DEK 8 FW 1-50 TAMPOPR.	1653340001		
DEK 8 FW 51-100 TAMPOPR.	1653340051		
DEK 8 FS 1-50 TAMPOPR.	1653350001		
DEK 8 FS 51-100 TAMPOPR.	1653350051		
DEK 8 FW 1-50 TAMPOPR.	1653340001		
DEK 8 FW 51-100 TAMPOPR.	1653340051		
DEK 8 FS 1-50 TAMPOPR.	1653350001		
DEK 8 FS 51-100 TAMPOPR.	1653350051		
DEK 8 FWZ 1-10	1276960001		
DEK 8 FWZ 11-20	1276960011		
DEK 8 FWZ 21-30	1276960021		

Terminal markers

WS



WS markers are ideally suited for the W range of wiring connectors (WS = W-series strips). They fit flush with the marking channels provided, thus ensuring a fit which is as secure as possible. But even with wiring connectors of the SAK and Z series, the generous marking space can be used, for Weidmüller markers are system-compatible.

WS strips are used mainly for manual marking. For individual production of print, the **WS** strip in **MultiCard** format is the ideal solution. It has all the features for efficient processing.

- The system is especially suitable for efficient marking with long, individually produced sequences of characters.
- Large marking surfaces allow long sequences of characters per tag and line.
- Multi-line marking and small script possible.
- Marking is possible with plotter, laser, MC-Mobilo or simply by hand.
- **WS cards are available for standard and laser prints.**

Data acquisition from many CAD programs possible.

Technical data

Material	Polyamide	
Temperature range (constant)	-40 °C to +100 °C	
Flammability acc. to UL 94	V2	
Colours	Available in the colours of the international resistance colour code ● black, ● brown, ● red, ● orange, ● yellow, ● green, ● blue, ● violet, ● grey, ○ white	
Size definition	Length x width (pitch) Ordering example: WS 12/5 = 12 mm long (vertikal) 5 mm wide (horizontal) Width = Pitch	
Assembly	Strip assembly when the marker pitch (width) corresponds to the terminal pitch, e.g. WS 10/5 = 5 mm pitch width for terminals with 5 mm pitch width, e.g. WDU 2.5 Individual tag fitting if the terminal pitch is greater than the marker pitch, e.g. WS 12/6.5 can be individually fitted on to WDU 6. Weidmüller markers with 5 mm pitch (width) will fit all terminal widths.	
Imprint	Colour	black
	Wipe resistant as specified in DIN IEC 50	

MultiCard-Variants see section: MultiCard.

Numbers of characters

Pen size	0.18	0.25	0.35	0.18	0.25	0.35
Font (Pt.)	10	10	10	4	5	6
Length 8	4	4	4	9	7	6
Length 10	4	4	4	11	9	8
Length 12	5	5	5	13	11	9
Length 15	7	7	7	17	14	11

Ordering details WS strip

Only WS 10/6 and WS 10/6.5	
Definition of quantity	1 strip = 10 units
Order quantity	Order and delivery quantity in number of individual plates, e.g. 200 units
Minimum order qty.	1 Qty. = 20 strips = 200 units
Packaging	Polythene bag

Ordering details WS cards 5 standard print

Only WS .../5	
Definition of quantity	1 card = 30 units
Minimum order qty.	1 Qty. = 300 units
Packaging	Carton


Example WS 10/5
printed FSZ: 1 - 10
Cat. No. **1773420001**
= 300 pieces single tags,
Colour on request

Notes regarding individual print:

1. Please send along with your written order via disc or e-mail your specifications
 - as Excel file (all data in one column)
 - as ASCII file (all data in one column)
 - additional information such as person in charge or phone no. for queries should be included in the files
 - E-mail address: Printdata@Weidmueller.de
2. Please indicate the file name with your order.
3. Non-electronic orders (Cat. No. for manual input: 157880) will cause a higher price and longer delivery time.
4. For individual print MultiCard, we offer to you the order-software **M-Comm 2**. See Internet page (www.m-comm.de) for further details.
For Cat. No., see under software **M-Comm 2**.


Terminal markers

MultiCard



WS (MultiCard)

card Print example standard



consecutive
vertical (FSZ)



consecutive
horizontal
FWZ

MultiCard

Type	Cat. No.	Pieces/sheet	Qty.
Neutral			
WS 12/3.5 MC	1778270000	120	600
WS 8/5 MC	1640740000	144	720
WS 10/5 MC	1635000000	144	720
WS 10/5 MC Middle	1792000000	144	720
WS 12/5 MC	1609860000	144	720
WS 14/5 MC	1768090000	96	480
WS 15/5 MC	1609880000	96	480
WS 12/6 MC	1609900000	120	600
WS 12/6.5 MC	1609920000	108	540
Custom-specific print			Qty.
WS 12/3.5 MC	1778280000		120
WS 8/5 MC	1640750000		144
WS 10/5 MC	1635010000		144
WS 10/5 MC Middle	1792010000		144
WS 12/5 MC	1609870000		144
WS 15/5 MC	1609890000		96
WS12/6 MC	1609910000		120
WS12/6.5 MC	1609930000		108
MC=MultiCard			

Card

Terminal width \geq 5 mm		
Type	Cat. No.	Qty.
WS 8...15/5		
Standard print		
Imprint		
WS 12/5 FSZ 1 - 10	1773430001	300
WS 12/5 FSZ 11 - 20	1773430011	300
WS 12/5 FSZ 21 - 30	1773430021	300
WS 12/5 FSZ 31 - 40	1773430031	300
WS 12/5 FSZ 41 - 50	1773430041	300
WS 12/5 FWZ 1 - 10	1773330001	300
WS 12/5 FWZ 11 - 20	1773330011	300
WS 12/5 FWZ 21 - 30	1773330021	300
WS 12/5 FWZ 31 - 40	1773330031	300
WS 12/5 FWZ 41 - 50	1773330041	300

Custom specific print

WS 8/5 card	1773360000	300
WS 10/5 card	1773370000	300
WS 12/5 card	1773380000	300

Colour variants on request

Streifen

Terminal width \geq 6 mm		
Type	Cat. No.	Qty.
WS 10...12/6		
Custom specific print		
WS 10/6 plotter print	1447260000	200
Neutral		
WS 10/6 strips	1060960000	200

Terminal width \geq 6.5 mm

WS 10...12/6.5		
Custom specific print		
WS 10/6.5 plotter print		200
1568910000		
Neutral		
WS 10/6.5	1568920000	200
WS 10/3.5		
	1670290000	

MC terminal markers

MultiCard for laser and plotter print

ZS



Technical data

Material of markers	Polyamide
Colour	White
Temperature range, cont.	-40°C ... +100°C
Flammability class acc. to UL 94	Markers: V2
acc. to UL 94	Base: HB
Imprint	Plotter; MC-Mobilo

Number of characters

Pen size	0.18	0.25	0.35	0.18	0.25	0.35
Font (Pkt.)	10	10	10	4	5	6
Length 10	4	4	4	11	9	8
Length 12	5	5	5	13	11	9
Length 15	7	7	7	17	14	11

Carrier system	Z-Reihe, W-Reihe, SAK-Reihe
----------------	--------------------------------

ZS-labels in MultiCard are particularly suitable for compact Z-terminals due to their folding hinge mechanism. The label can be raised, for example to access the cross-connection. Depending on the label length, printing of 6 – 9 characters in normal script is possible.

- Hinged marking surface
- Individual labels mountable as strip to reduce marking exercise.
- Stripwise project designation area ordered by strips
- Simple separation of labels
- Inlay required with order number **1610080000**

Ordering data

Type	Cat. No.	Pieces/sheet	Qty.
ZS 10/5	1610000000	96	480
ZS 12/6	1610020000	80	400
ZS 15/5	1646630000	96	480

Marking tag holders



Technical data

Material of marking tag holders: Wemid
Colour: Dark beige
Flammability class: V2

Can be used with terminals

ZDU 2.5/...
ZDU 4/...¹⁾
ZDU 6/...¹⁾
ZDU A 2.5/...²⁾

Possible markers

WS 10/5
WS 10/5 centred³⁾
Dekafix 5

BZT –

The marking tag holders permit to use WS 10/5 tags for marking the central marking channel of ZDU 2.5.../... terminals. This ensures that the Z-series can be marked clearly and easily with excellent readability. Marking tag holders can simply be linked together to provide optimum stability.

- Single and double version
- Formation of BZT blocks for max. stability
- No problems occur when the screwdriver is inserted
ZQV remains accessible

Ordering data

Type	Cat. No.	Qty.
BZT 1 WS 10/5	1805490000	100
BZT 1 ZA WS 10/5	1805520000	100
BZT 2 WS 10/5	1805480000	100
BZT 1 ZA WS 10/5	1805530000	100

¹⁾ Formation of BZT blocks not recommended

²⁾ When using BZT 1

³⁾ Only restricted usage with BZT 1

