



3M™ Static Control

- Products
- Technical Info
- News & Events
- Support & Training

[Product Catalog for Static Control](#) > [Ionization](#) >





Replacement Parts



[\[click to enlarge\]](#)




















3M has replacement parts for many of the static control products that we sell.


















- [3M™ Bench Ground Block](#) (PDF 654.0K)
- [3M™ Monitor Verification Kit 725-727 Properties](#) (PDF 6.0K)
- [3M™ Snap and 3M™ Snap Tool](#) (PDF 342.0K)
- [3M™ Soldering Tool SP3010](#) (PDF 343.0K)
- [3M™ Workstation 724 Verification Kit Properties](#)

Product Details	Documents	Product Info/Submit RFQ		Request a Quote/Information
	Part #	3M ID/SKU	Description	
				Submit
 [click to enlarge]	790VK	98079851642	3M™ 790VK Verification Kit Verification kit. One 5 ft. (1.5 M) dual conductor cord 2360, one test wrist band socket assembly, and one two-wire male connector with 24 in. (0.61 M) lead wire.	
 [click to enlarge]	733	98079843813	3M™ Remote Splitter Kit 733, 6 ft. Long Cord 733 Remote Splitter Kit offers the versatility of grounding and monitoring two workers at independent workstations that are in close proximity. The unit features a quick/disconnect system. To Be Used With Workstation Monitor 724	
 [click to enlarge]	723	98079830836	723 Belt Clip for 725 Wrist Strap Monitor (100/Shipper) The 3M Belt Clip 723 is available as an accessory item for the 3M™ Wrist Strap Monitor 725.	
 [click to enlarge]	724P	98079851527	724P POWER SUPPLY FOR WORK STATION MONITOR Power Supply for 3M™ Wrist Strap Workstation Monitor 724 and 3M™ Static Monitor 790	

 <p>[click to enlarge]</p>	724VK	98079844035	<p>724VK The 3M Verification Kit 724VK is designed to check the wrist strap input resistance ranges of the 3M™ Workstation and 3M™ Wrist Strap Monitors 700 Series. Includes six 1% resistor plugs and case.</p>	
 <p>[click to enlarge]</p>	725VK	98079844027	<p>725/727VK The 3M Verification Kit 725VK is designed to check the wrist strap input resistance ranges of the 3M™ Workstation and 3M™ Wrist Strap Monitors 700 Series. Includes four 1% resistor plugs and case.</p>	
 <p>[click to enlarge]</p>	732	98079836650	<p>732 Dual Remote Wrist Strap Input Jack The 3M Remote Input Jack 732 May Be Purchased As A Replacement Part For The 3M™ Workstation Monitor 724. It Provides Two Phone Jacks - One For The Primary Worker And One For Use By Visitors To The Work Area.</p>	
 <p>[click to enlarge]</p>	740P	98079851535	<p>740P POWER SUPPLY FOR WRIST STRAP/SHOE TESTER W/110V US PLUG Power Supply for 3M™ Wrist Strap and Footwear Tester 740</p>	
 <p>[click to enlarge]</p>	746P	98079851543	<p>746P POWER SUPPLY FOR WRIST STRAP TESTER Power Supply for 3M™ Wrist Strap Tester 746</p>	
 <p>[click to enlarge]</p>	790MP	98079852376	<p>790MP MOUNTING PLATE Mounting plate for 3M Wrist Strap Monitor 790.</p>	
 <p>[click to enlarge]</p>	980-F	98079835330	<p>980-F Air Filter 3-Pack (for 980 Air Gun) Accessory</p>	
 <p>[click to enlarge]</p>	980-T	98079835348	<p>980-T Emitter Tip (for 980 Air Gun) Accessory</p>	
	7380	98079819946	<p>7380 Monitor/Mat Replacement Cord</p>	

 [click to enlarge]	2380	98079819946	2380 Monitor/Mat Replacement Cord Monitor/Table Mat Replacement Cord, 6 ft. (1.8 m), with 10 mm snap. Extends from the 3M™ Wrist Strap Workstation Monitor 724 to the static control worksurface to be monitored. This cord does not have a resistor molded into the snap fastener cap.	
 [click to enlarge]	2389	98079833012	2389 Monitor/Mat Inter. Co. Cord 10' No Resistor Monitor/Table Mat Interconnect Cord, 10 ft. (3 m), with 10 mm snap. A straight cord with male snap fasteners at each end and no resistors. Used to interconnect two monitored worksurfaces.	
 [click to enlarge]	3033	98079804021	3033 Snap Fastener, Male .125~ Hole (10 Per Package) Snap Fastener, male, 0.125 in. (3.2 mm) hole, 10 mm diameter. For mats and runners. 1800/8800 Series.	
 [click to enlarge]	3034	98079804039	3034 Snap Fastener, Female .125~ Hole (10 Per Package) Snap fastener, female, 0.125 in. (3.2 mm) hole, 10 mm diameter. For 3M Mats and Runners 1800/8800 series.	
 [click to enlarge]	3037	98079808386	3037 Insulating Bulldog Clip (10 Per Package) Fits standard banana plug.	
 [click to enlarge]	3038	98079803999	3038 Uninsulated Alligator Clip (ATD # 34760) 10 Per Package Fits standard banana plug.	
 [click to enlarge]	3040	98079802009	3040 15' Straight Ground Cord Ground cord, 15 ft. (4.6 m), with 10 mm snap. Molded-in male snap fastener with integral one megohm resistor on one end, solderless terminal on other. Connects all 3M™ Static Control Mats and Runners to building ground.	
 [click to enlarge]	3041	98079808568	3041 Grounding Kit For Static Protective Hard Laminate Grounding Kit for 3M™ Static Protective Hard Laminate includes #10 screw, lock washer, #10 nut, lock washer wing nut, #10 self-tapping screw and one 10 ft. (3.0 m) ground cord. Ground cord has a 1 megohm resistor.	
 [click to enlarge]	3042	98079810549	3042 Wrist Strap Grounding System Wrist Strap Grounding System. Grounds two single conductor wrist straps and conveniently mounts beneath the edge of most work benches. Comes complete with 10 ft. (3.0 m) ground cord.	
	3043	98079804005	3043 5' Straight Grounding Cord Interconnect cord, 5 ft. (1.5 m), with 10 mm snap. Molded-in male snap	

			interconnect cord, 5 ft. (1.5 m), with 10 mm snap, folded in male snap fastener at each end. Connects all static control mats and runners to each other. Ground cord has a one megohm resistor.	
[click to enlarge]  [click to enlarge]	3047	98079810556	3047 Common Point Grounding System Common Point Grounding System, 10 ft. (3 m) to ground workstation components. Single-row, six-terminal strip, protective cover, three cable clips. Ground cord has a one megohm resistor.	
 [click to enlarge]	3048	98079810671	3048 Wrist Strap/Table Mat Grounding System Easily snaps onto mats and runners, (10 mm snap); grounds two single conductor wrist straps. Comes complete with ring connector and 15 ft. (4.6 m) ground cord. Ground cord has a one megohm resistor for mat connection only.	
 [click to enlarge]	3050	98079805028	3050 Snap Fastener, Female (10 Per Package) Snap fastener, female, 10 mm diameter. For 3M table and floor mats and runners 8200 Series.	
 [click to enlarge]	3051	98079810820	3051 Ground Cord (ATD# 18248) Ground cord with center snap for standard field service kits. Wrist strap cord section 10 ft. (3.0 m) and ground cord section 5 ft. (1.5 m). Each contains a one megohm resistor.	
 [click to enlarge]	3057	98079850412	3057 MONITOR STANDBY JACK WITH GEAR TEETH Monitor Stand-By Jack. Allows Operator To Disconnect A Ground Cord From The Wrist Band And Leave The Workstation Without Deactivating The 3M™ Wrist Strap Workstation Monitor 724 Or 3M™ Static Monitor 790.	
 [click to enlarge]	CTA242	80001152745	CTA242 REMOTE TERMINAL FOR WS AWARE - REGULAR This Remote Terminal Connects To WS Aware Workstation Monitors And Provides Connection For Dual Wire Wrist Straps For An Operator And A Visitor.	
 [click to enlarge]	CTA243	80001152752	CTA243 REMOTE TERMINAL FOR WS AWARE - BIG BROTHER Before Sensitive Devices Are Handled, Big Brother Alarms Alert The Operator To Plug-In. Once Big Brother Senses That The Operator Is Properly Grounded The Alarm Is Silenced.	
 [click to enlarge]	CTA245	80000919540	CTA245 WS REPLACEMENT JACK BOARD Replacement Jack Board For WS Aware Remote Terminals CTA242 And CTA243.	
	FGC151M	80000954802	FGC151M FLOOR GRND CORD 15FT 1MEG MALE 3/8~ SNAP/RING TERMINAL The low profile beveled cap prevents the cord from being accidentally	

 [click to enlarge]			removed from the mat. A 3/8 in. (10 mm) stud securely snaps to the mat, and at the other end of the 15 ft. (4.5 m) cord is a ring terminal.	
 [click to enlarge]	FPSNAP	80000955387	FPSNAP 10MM FEMALE PRONG SNAP 3/8~ SOCKET Snaps are used to connect a ground cord to a static mat. Prong clinch snaps are held in place by pushing the prongs through the mat and crimping them on the bottom of the mat. No special tools are needed.	
 [click to enlarge]	LPCGC150M	80000955221	LPCGC150M LOW PROFILE COMMON GROUND CORD-NO RESISTOR, 15' CORD Less obtrusive in the work area.	
 [click to enlarge]	LPCGC151M	80000955213	LPCGC151M LOW PROFILE COMMON GROUND CORD-1M RESISTOR, 15' CORD Less obtrusive in the work area.	
 [click to enlarge]	SNAPSOCKET3/8	80000917718	SNAPSOCKET3/8 3/8~ FEMALE SNAP FOR MAT Rivet Style Snap	
 [click to enlarge]	SNAPSTUD3/8 100	80001131764	SNAPSTUD100 3/8~ MALE SNAP FOR MAT 100 PER PACK Stud snaps are held in place by crimping the tip of an eyelet through the center of the stud with a snap tool. This traps the mat between the stud on the top of the mat and the eyelet on the back of the mat.	
 [click to enlarge]	SNAPTOOL	80000918781	SNAPTOOL HEAVY DUTY TOOL W/RUBBER HANDLES This simple-to-use tool attaches snaps to static mats. Three easy steps give you a secure snap with good electrical connection. Rugged and rust resistant, the snap tool allows you to put a grounding snap right where you need it.	
 [click to enlarge]	SP3010	80000917635	SP3010 SOLDERING TOOL This Soldering Tool will help you form component leads, probe circuit cards and chase wire and leads. Tough glass-filled nylon plastic makes this tool durable and long lasting.	
 [click to enlarge]	WSGR2	80000955262	WSGR2 DUAL BENCH GROUND, 10' CORD This metal grounding block accommodates two wrist straps and comes complete with mounting hardware. Designed to be mounted under the bench and keep the wrist strap connections safe. The integral 15 ft. (4.5 m) cord ends with a ring terminal.	
Submit				