



Pegler Yorkshire

CONNECT + CONTROL


Straight Coupling Copper x male iron

42



Size	Pattern No.	Pack 1 Qty	Pack 2 Qty	Code	Barcode	Price (£) ex VAT
8mmx1/4	42	5	300	711004	5013866018848	£8.08
10mmx1/4	42	5	300	711005	5013866018855	£8.34
10mmx3/8	42	5	250	711015	5013866018862	£8.34
10mmx1/2	42	5	150	711025	5013866018879	£8.38
15mmx1/4	42	5	150	711047	5013866018954	£9.56
15mmx3/8	42	5	150	711057	5013866018992	£10.09
15mmx1/2	42	5	150	711067	5013866019012	£2.78
15mmx3/4	42	5	100	711077	5013866019043	£11.44
22mmx1/2	42	5	100	711028	5013866018893	£11.47
22mmx3/4	42	5	90	711038	5013866018930	£4.50
22mmx1	42	5	70	711048	5013866018961	£6.16
28mmx3/4	42	5	50	711049	5013866018978	£19.39
28mmx1	42	5	50	711059	5013866019005	£8.63
28mmx1.1/4	42	5	40	711069	5013866019029	£37.53
35mmx1	42	1	30	711070	5013866019036	£39.55
35mmx1.1/4	42	1	25	711080	5013866019050	£29.75
42mmx1.1/2	42	1	15	711081	5013866019067	£47.70
54mmx2	42	1	12	711082	5013866019074	£66.36

42



Code	Description	A
711004	8MMX1/4 42 STRAIGHT COUPLING CXM	26
711005	10MMX1/4 42 STRAIGHT COUPLING CXM	29
711015	10MMX3/8 42 STRAIGHT COUPLING CXM	31
711025	10MMX1/2 42 STRAIGHT COUPLING CXM	36
711047	15MMX1/4 42 STRAIGHT COUPLING CXM	35
711057	15MMX3/8 42 STRAIGHT COUPLING CXM	36
711067	15MMX1/2 42 STRAIGHT COUPLING CXM	36
711077	15MMX3/4 42 STRAIGHT COUPLING CXM	39
711028	22MMX1/2 42 STRAIGHT COUPLING CXM	40
711038	22MMX3/4 42 STRAIGHT COUPLING CXM	43
711048	22MMX1 42 STRAIGHT COUPLING CXM	44
711049	28MMX3/4 42 STRAIGHT COUPLING CXM	44
711059	28MMX1 42 STRAIGHT COUPLING CXM	46
711069	28MMX1.1/4 42 STRAIGHT COUPLING CXM	49
711070	35MMX1 42 STRAIGHT COUPLING CXM	51
711080	35MMX1.1/4 42 STRAIGHT COUPLING CXM	53
711081	42MMX1.1/2 42 STRAIGHT COUPLING CXM	57
711082	54MMX2 42 STRAIGHT COUPLING CXM	65

Pegler Yorkshire reserve the right to change specifications

Fittings

Pegler Yorkshire Customcare 25 Year Guarantee - Terms and Conditions

Products are subject to a 25 year guarantee that is between Pegler Yorkshire and the final purchaser of the product.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of homeowners, domestic and commercial applications and therefore the guarantee is subject to the product being properly selected for their intended service

conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting instructions.

Provided it is installed correctly and receives adequate preventative maintenance it should give years of trouble-free service.

Abusive behaviour and accidental damage to the product are not covered by this guarantee.

The extent of this liability is limited to the cost of the replacement of the defective item and not to fitting or consequential damages.

Description	Minimum Operating Pressure (bar)	Maximum Cold Working Pressure (bar)	Maximum Hot Working Pressure (bar)
42 Straight Coupling	No Minimum Operating Pressure	16.0 bar at temperatures up to 30oC	5.0 bar at temperatures up to 120oC

Care

This product does not require any regular aesthetic care.

Maintenance

No maintenance is required for this product; if possible a visual inspection can be undertaken for any accidental knocks. Do not attempt to over tighten as this will not produce a better joint.

For any further maintenance issues please contact your local qualified installer.

If your product is under warranty please contact the Service Support Team on: 0800 1560050.


Regulations

It is important to ensure that the water supplies to your waste are connected in accordance with the water regulations (WRAS) requirements and good plumbing practice.

This product complies to EN1254 and the kitemark standard and is documented in the WRAS Water fittings directory.

Component	Material
Body	Brass Bar (8-28mm) Forged Brass (35-54mm)
Capnut	Forged Brass
Cone	Brass

42



1						
Spare Key	Description	Code	Barcode	Date From	Date To	Price (£) ex VAT
1	8MM 105 PRESTEX TYPE A BRASS CAPNUT	860064	5013866023682	01/01/1900	To Current	£2.20
1	10MM 105 PRESTEX TYPE A BRASS CAPNUT	860065	5013866023699	01/01/1900	To Current	£2.20
1	10MM 105 PRESTEX TYPE A BRASS CAPNUT	860065	5013866023699	01/01/1900	To Current	£2.20
1	10MM 105 PRESTEX TYPE A BRASS CAPNUT	860065	5013866023699	01/01/1900	To Current	£2.20
1	12MM 105 PRESTEX TYPE A BRASS CAPNUT	860066	5013866023705	01/01/1900	To Current	£2.20
1	12MM 105 PRESTEX TYPE A BRASS CAPNUT	860066	5013866023705	01/01/1900	To Current	£2.20
1	12MM 105 PRESTEX TYPE A BRASS CAPNUT	860066	5013866023705	01/01/1900	To Current	£2.20
1	15MM 105 PRESTEX TYPE A BRASS CAPNUT	860097	5013866023774	01/01/1900	To Current	£2.47
1	15MM 105 PRESTEX TYPE A BRASS CAPNUT	860097	5013866023774	01/01/1900	To Current	£2.47
1	15MM 105 PRESTEX TYPE A BRASS CAPNUT	860097	5013866023774	01/01/1900	To Current	£2.47
1	15MM 105 PRESTEX TYPE A BRASS CAPNUT	860097	5013866023774	01/01/1900	To Current	£2.47
1	18MM 105 PRESTEX TYPE A BRASS CAPNUT	860067	5013866023712	01/01/1900	To Current	£3.77
1	18MM 105 PRESTEX TYPE A BRASS CAPNUT	860067	5013866023712	01/01/1900	To Current	£3.77
1	22MM 105 PRESTEX TYPE A BRASS CAPNUT	860068	5013866023729	01/01/1900	To Current	£4.22
1	22MM 105 PRESTEX TYPE A BRASS CAPNUT	860068	5013866023729	01/01/1900	To Current	£4.22

1	22MM 105 PRESTEX TYPE A BRASS CAPNUT	860068	5013866023729	01/01/1900	To Current	£4.22
1	28MM 105 PRESTEX TYPE A BRASS CAPNUT	860069	5013866023736	01/01/1900	To Current	£5.77
1	28MM 105 PRESTEX TYPE A BRASS CAPNUT	860069	5013866023736	01/01/1900	To Current	£5.77
1	28MM 105 PRESTEX TYPE A BRASS CAPNUT	860069	5013866023736	01/01/1900	To Current	£5.77
1	28MM 105 PRESTEX TYPE A BRASS CAPNUT	860069	5013866023736	01/01/1900	To Current	£5.77
1	35MM 105 PRESTEX TYPE A BRASS CAPNUT	860070	5013866023743	01/01/1900	To Current	£7.94
1	35MM 105 PRESTEX TYPE A BRASS CAPNUT	860070	5013866023743	01/01/1900	To Current	£7.94
1	42MM 105 PRESTEX TYPE A BRASS CAPNUT	860071	5013866023750	01/01/1900	To Current	£11.79
1	54MM 105 PRESTEX TYPE A BRASS CAPNUT	860072	5013866023767	01/01/1900	To Current	£20.46

2

Spare Key	Description	Code	Barcode	Date From	Date To	Price (£) ex VAT
2	8MM C103 COPPER CONE	860004	5013866023484	01/05/1999	To Current	£0.88
2	8MM 103 BRASS CONE	860044	5013866023606	01/01/1900	To Current	£0.88
2	10MM 103 BRASS CONE	860045	5013866023613	01/01/1900	To Current	£0.88
2	10MM C103 COPPER CONE	860005	5013866023491	01/05/1999	To Current	£0.88
2	10MM 103 BRASS CONE	860045	5013866023613	01/01/1900	To Current	£0.88
2	10MM C103 COPPER CONE	860005	5013866023491	01/05/1999	To Current	£0.88
2	10MM 103 BRASS CONE	860045	5013866023613	01/01/1900	To Current	£0.88
2	10MM C103 COPPER CONE	860005	5013866023491	01/05/1999	To Current	£0.88
2	12MM 103 BRASS CONE	860046	5013866023620	01/01/1900	To Current	£1.19
2	12MM C103 COPPER CONE - DISCONTINUED	860006	5013866023507	01/05/1999	To Current	£0.00
2	12MM 103 BRASS CONE	860046	5013866023620	01/01/1900	To Current	£1.19
2	12MM C103 COPPER CONE - DISCONTINUED	860006	5013866023507	01/05/1999	To Current	£0.00
2	12MM 103 BRASS CONE	860046	5013866023620	01/01/1900	To Current	£1.19
2	12MM C103 COPPER CONE - DISCONTINUED	860006	5013866023507	01/05/1999	To Current	£0.00
2	15MM 103 BRASS CONE	860047	5013866023637	01/01/1900	To Current	£1.19
2	15MM C103 COPPER CONE	860007	5013866023514	01/05/1999	To Current	£1.19
2	15MM C103 COPPER CONE	860007	5013866023514	01/05/1999	To Current	£1.19
2	15MM 103 BRASS CONE	860047	5013866023637	01/01/1900	To Current	£1.19
2	15MM 103 BRASS CONE	860047	5013866023637	01/01/1900	To Current	£1.19
2	15MM C103 COPPER CONE	860007	5013866023514	01/05/1999	To Current	£1.19
2	15MM C103 COPPER CONE	860007	5013866023514	01/05/1999	To Current	£1.19
2	15MM 103 BRASS CONE	860047	5013866023637	01/01/1900	To Current	£1.19
2	18MM 103 BRASS CONE	860013	5013866023576	01/01/1900	To Current	£1.58
2	18MM 103 BRASS CONE	860013	5013866023576	01/01/1900	To Current	£1.58
2	22MM 103 BRASS CONE	860048	5013866023644	01/01/1900	To Current	£1.60
2	22MM C103 COPPER CONE	860008	5013866023521	01/05/1999	To Current	£1.60
2	22MM 103 BRASS CONE	860048	5013866023644	01/01/1900	To Current	£1.60

							Current
2	22MM C103 COPPER CONE	860008	5013866023521	01/05/1999	To Current	£1.60	
2	22MM 103 BRASS CONE	860048	5013866023644	01/01/1900	To Current	£1.60	
2	22MM C103 COPPER CONE	860008	5013866023521	01/05/1999	To Current	£1.60	
2	28MM C103 COPPER CONE	860009	5013866023538	01/05/1999	To Current	£2.11	
2	28MM 103 BRASS CONE	860309	5013866024085	01/01/1900	To Current	£2.11	
2	28MM 103 BRASS CONE	860309	5013866024085	01/01/1900	To Current	£2.11	
2	28MM C103 COPPER CONE	860009	5013866023538	01/05/1999	To Current	£2.11	
2	28MM 103 BRASS CONE	860309	5013866024085	01/01/1900	To Current	£2.11	
2	28MM C103 COPPER CONE	860009	5013866023538	01/05/1999	To Current	£2.11	
2	28MM C103 COPPER CONE	860009	5013866023538	01/05/1999	To Current	£2.11	
2	28MM 103 BRASS CONE	860309	5013866024085	01/01/1900	To Current	£2.11	
2	35MM 103 BRASS CONE	860050	5013866023651	01/01/1900	To Current	£3.10	
2	35MM C103 COPPER CONE	860010	5013866023545	01/05/1999	To Current	£3.22	
2	35MM C103 COPPER CONE	860010	5013866023545	01/05/1999	To Current	£3.22	
2	35MM 103 BRASS CONE	860050	5013866023651	01/01/1900	To Current	£3.10	
2	42MM 103 BRASS CONE	860051	5013866023668	01/01/1900	To Current	£5.98	
2	42MM C103 COPPER CONE	860011	5013866023552	01/05/1999	To Current	£5.98	
2	54MM C103 COPPER CONE	860012	5013866023569	01/05/1999	To Current	£9.61	
2	54MM 103 BRASS CONE	860052	5013866023675	01/01/1900	To Current	£9.61	

K I T E M A R K L I C E N C E



No. KM 07082

BSI hereby grants to:

Pegler Limited
St Catherines Avenue
Doncaster
South Yorkshire
DN4 8DF
United Kingdom

In respect of:

Copper and copper alloys - Plumbing fittings

the right and Licence to use the Kitemark in accordance with the Kitemark Licence Conditions of Contract governing the use of the Kitemark, as may be updated from time to time by BSI, and as approved by the Registrar under the Trade Marks Act 1994 (the "Conditions"). All defined terms in this Licence shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s), manufactured at, or provided from, the address above and in conformity with the standard(s) detailed on the following pages.

For and on behalf of BSI:

Anne Boyd, Managing Director, BSI Product Services

First granted: 15 Dec 1982

Date: 7 Dec 2004

Page: 1 of 4

The Licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity, telephone +44 (0)1442 230442.

BSI is incorporated by Royal Charter

BSI
Product Services

BSI Product Services

Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ United Kingdom
Tel: +44 (0)1442 230442 Website: www.bsi-global.com

BSI Group Headquarters: 389 Chiswick High Road, London W6 7AL Tel: +44 (0)208 996 9000

PS0276203/AP

K I T E M A R K L I C E N C E



No. KM 07082

Pegler Limited

Doncaster

BS EN 1254 COPPER AND COPPER ALLOYS - COPPER FITTINGS:

BS EN 1254-2 – Compression ends for Copper tube.

BS EN 1254-4 – Other ends

Note. With the exception of the marking, the products listed are also deemed to conform to the requirements of the obsolescent British Standard BS 864 Part 2.

1. Compression fittings

Reference Number	Description	Size(s) <i>mm – unless otherwise stated</i>
20	Straight coupling c x c with three 8mm branches for Copper	22
22	Stop end c x blank end with three 8mm branches for Copper	22
35	Flanged tank connection c x flanged	15, 22, 28, 35, 42, 54
35W	Flanged tank connection c x flange	22
37	Stop end c x blank end	12, 15, 18, 22, 28
40	Straight coupling C x C	8, 10, 10 x 8, 12, 12 x 10, 13, 15 x 8, 15 x 10, 15 x 12, 18, 18 x 15, 22, 22 x 15, 22 x 18, 28, 28 x 15, 28 x 22, 35, 35 x 22, 42, 54

First granted: 15 Dec 1982

Date: 7 Dec 2004

Page: 2 of 4

The licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity telephone +44 (0)1442 230442.

BSI is incorporated by Royal Charter

BSI
Product Services

BSI Product Services

Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ United Kingdom

Tel: +44 (0)1442 230442 Website: www.bsi-global.com

BSI Group Headquarters: 389 Chiswick High Road, London W6 4AL Tel: +44 (0)202 996 9000

PS0270202/AP

K I T E M A R K L I C E N C E



No. KM 07082

Pegler Limited

Doncaster

Reference Number	Description	Size(s) <small>mm – unless otherwise stated</small>
40CO	Crossover coupling	15, 18, 22, 28
40R	Repair coupling	15
41	Straight coupling c x fi	8 x 1/4", 10 x 1/4", 10 x 3/8", 10 x 1/2", 15 x 1/4", 15 x 3/8", 15 x 1/2", 15 x 3/4", 22 x 1/2", 22 x 3/4", 22 x 1", 28 x 3/4", 28 x 1", 35 x 1/4", 42 x 1 1/2", 54 x 2"
42	Straight coupling c x mi	8 x 1/4", 10 x 1/4", 10 x 3/8", 10 x 1/2", 12 x 1/2", 15 x 1/4", 15 x 3/8", 15 x 1/2", 15 x 3/4", 18 x 1/2", 18 x 3/4", 22 x 1/2", 22 x 3/4", 22 x 1", 28 x 1/2", 28 x 3/4", 28 x 1", 28 x 1 1/4", 35 x 1", 35 x 1 1/4", 42 x 1 1/2", 54 x 2"
42W	Straight coupling c x mi	15 x 1/2", 22 x 3/4", 28 x 1"
43	Straight swivel tap adaptor c x union nut	15 x 1/2", 15 x 3/4", 22 x 3/4"
43B	Bent swivel tap adaptor c x union nut	15 x 1/2", 22 x 3/4"

First granted: 15 Dec 1982

Date: 7 Dec 2004

Page: 3 of 4

The licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity telephone +44 (0)1442 230442
BSI is incorporated by Royal Charter

BSI
Product Services

BSI Product Services
Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ United Kingdom
Tel: +44 (0)1442 230442 Website: www.bsi-global.com

BS Group Headquarters: 389 Chiswick Road, London W4 4AL Tel: +44 (0)20 8996 9000

PS0276020/AP

K I T E M A R K L I C E N C E



No. KM 07082

Pegler Limited

Doncaster

Reference Number	Description	Size(S) <small>mm – unless otherwise stated</small>
44	Bent coupling c x c	8, 10, 12, 15, 18, 22, 28, 35, 42, 54, 15 x 12, 22 x 15, 28 x 15, 28 x 22
45	Bent coupling c x mi	10 x $\frac{3}{8}$ ", 12 x $\frac{3}{8}$ ", 12 x $\frac{1}{2}$ ", 15 x $\frac{1}{2}$ ", 22 x $\frac{1}{2}$ ", 22 x $\frac{3}{4}$ ", 22 x 1", 28 x 1", 35 x 1 $\frac{1}{4}$ ", 42 x 1 $\frac{1}{2}$ ", 54 x 2"
45W	Bent coupling c x mi	22 x $\frac{3}{4}$ "
46	Bent coupling c x fi	15 x $\frac{3}{8}$ ", 15 x $\frac{1}{2}$ ", 15 x $\frac{3}{4}$ ", 18 x $\frac{1}{2}$ ", 22 x $\frac{1}{2}$ ", 22 x $\frac{3}{4}$ ", 22 x 1", 28 x $\frac{3}{4}$ ", 28 x 1", 35 x 1 $\frac{1}{4}$ ", 42 x 1 $\frac{1}{2}$ ", 54 x 2"
50	Tee all ends equal	8, 10, 15, 18, 22, 28, 35, 42, 54
50A	Tee both ends reduced	15 x 22, 18 x 22
50B	Tee one end reduced	22 x 15, 28 x 15, 28 x 22
50C	Tee branch reduced	22 x 15, 28 x 15, 28 x 22

The fittings are marketed under the trade name Prestex.

All fittings supplied in brass unless otherwise specified as follows:

DR - Dezincification Resistant Alloy

GM - Gunmetal

and can be chrome plated as required

First granted: 15 Dec 1982

Date: 7 Dec 2004

Page: 4 of 4

The licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity telephone: +44 (0)1442 230442
BSI is incorporated by Royal Charter

BSI
Product Services

BSI Product Services

Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ United Kingdom

Tel: +44 (0)1442 230442 Website: www.bsi-global.com

BSI Group Headquarters: 389 Chiswick High Road, London W6 4AL, Tel: +44 (0)208 996 9000

PS0210202AP