



REVERSING CONTACTOR COMBINATION 45KW,  
SIZE S3, DC 24V

General details:		
<b>Product function</b>		reversing contactor
<b>Size of the contactor</b>		S3
<b>Width</b>	mm	150
<b>Height</b>	mm	169
<b>Depth</b>	mm	152
<b>Item designation</b>		
<ul style="list-style-type: none"> <li>• according to DIN EN 61346-2</li> <li>• according to DIN 40719 extendable after IEC 204-2 / according to IEC 750</li> </ul>		Q K
Control circuit:		
<b>Type of voltage / of the controlled supply voltage</b>		DC
<b>Control supply voltage / 1</b>		
<ul style="list-style-type: none"> <li>• for DC</li> <li>• rated value</li> </ul>	V	24
Main circuit:		
<b>Operating current / at AC-3 / at 400 V</b>		
<ul style="list-style-type: none"> <li>• rated value</li> </ul>	A	95
<b>Service power / at AC-3 / at 400 V</b>		

• rated value

kW 45

#### Auxiliary circuit:

Number of NC contacts / for auxiliary contacts / per direction of rotation

0

Number of NO contacts / for auxiliary contacts / per direction of rotation

0

#### Connection type:

Design of the electrical connection / for main current circuit

screw-type terminals

Type of mounting

screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022

#### Ambient conditions:

Ambient temperature

• during operating

°C -25 ... +60

Protection class IP / on the front

IP20

#### Certificates/approvals:

##### General Product Approval



EG-Konf.

##### Shipping Approval



##### Shipping Approval

other



[Confirmation](#)

[other](#)



#### Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator


<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RA1346-8XB30-1BB4/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3RA1346-8XB30-1BB4](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RA1346-8XB30-1BB4)



last change:

Apr 13, 2012