

# MASTER LED Lamps LV

MASTER LED LV 7-35W 4000K 12V MR16 36D Dim



Delivering a warm, halogen/incandescent-like accent beam, MASTER LED lamp is an ideal retrofit solution for spot and general lighting applications in the hospitality industry. It is particularly suited to public areas such as receptions, lobbies, corridors, stairwells and washrooms, where the light is on all the time. The robustly designed MASTER LED has a clearly defined beam spread. There is no UV or IR in the beam, making it suitable for illuminating heat-sensitive objects (food, organic materials, paintings, etc.).

## Product data

### • General Characteristics

Cap-Base	GU5.3
Bulb	MR16 [MR 16inch/50mm]
Rated Lifetime (hours)	40000 hr

### • Light Technical Characteristics

Color Code	CW
Color Designation (text)	Cool White
Beam Angle	36 D
Beam Description	36D [Medium beam]
Correlated Color Temperature	4000 K
Luminous Intensity	810 cd
Color rendering index	80
Color Temperature	4000 K [CCT 4000K]

### • Electrical Characteristics

Wattage	7 W
Wattage Technical	7.0 W
Voltage	12 V
Power Factor	0.8 -

Lamp Current mA	650 mA
Dimmable	Yes

### • Product Dimensions

Overall Length C	54 mm
Diameter D	50 mm

### • Product Data



Order code	929000194610
Full product code	929000194610
Full product name	MASTER LED LV 7-35W 4000K 12V MR16 36D Dim
Order product name	MASTER LED 7-35W 4000K 12V MR16 36D Dim
Pieces per pack	1
Packing configuration	10
Packs per outerbox	10
Bar code on pack - EAN1	6923410783599
Bar code on outerbox - EAN3	6923410783605
Logistic code(s) - 12NC	929000194610
Net weight per piece	0.045 kg

## Dimensional drawing



# PHILIPS

## Dimensional drawing



GU5.3

### MASTER LED LV 7-35W 4000K 12V MR16 36D Dim

Product	C (Norm)	D (Norm)
LED 7-35W GU5.3 4000K 12V MR16 36D Dim	54	50



© 2013 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2013, June 25  
data subject to change