



**SAFETY DATA SHEET**  
ANTISEIZE REGULAR GRADE

Page: 1

Compilation date: 10/07/2013

Revision No: 1

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** ANTISEIZE REGULAR GRADE

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC24: Lubricants, greases, release products.

**1.3. Details of the supplier of the safety data sheet**

**Company name:** ROCOL

ROCOL House

Swillington

Leeds

West Yorkshire

LS26 8BS

ENGLAND

**Tel:** +44 (0) 113 232 2700

**Fax:** +44 (0) 113 232 2740

**Email:** [customer-service@rocol.com](mailto:customer-service@rocol.com)

**1.4. Emergency telephone number**

**Emergency tel:** +44 (0) 113 232 2600

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CHIP:** N: R51/53

**Most important adverse effects:** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**2.2. Label elements**

**Label elements under CHIP:**

**Hazard symbols:** Dangerous for the environment.



**Risk phrases:** R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases:** S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

[cont...]

**SAFETY DATA SHEET**  
ANTISEIZE REGULAR GRADE

Page: 2

**2.3. Other hazards**

**PBT:** This substance is not identified as a PBT substance.

**Section 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients:**

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (LESS THAN 3% DMSO EXTRACT)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-155-0	64742-52-5	-: Substance with a Community workplace exposure limit.	-	30-50%

ZINC OXIDE

-	1314-13-2	N: R50/53	Aquatic Chronic 1: H410; Aquatic Acute 1: H400	1-10%
---	-----------	-----------	--	-------

COPPER POWDER <10 MICRON

231-159-6	7440-50-8	F: R11; Xn: R20/22; N: R50	Flam. Sol. 1: H228; Acute Tox. 4: H332; Aquatic Acute 1: H400; Acute Tox. 4: H302	1-10%
-----------	-----------	----------------------------	---	-------

ZINC O,O-BIS(ISOBUTYL/PENTYL)DITHIOPHOSPHATE

270-608-0	68457-79-4	Xi: R38; Xi: R41; N: R51/53	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411	<1%
-----------	------------	-----------------------------	--	-----

ALUMINIUM POWDER (STABILISED)

231-072-3	-	F: R11; -: R15	Water-react. 2: H261; Flam. Sol. 1: H228	1-10%
-----------	---	----------------	--	-------

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Consult a doctor.

**Inhalation:** Move to fresh air in case of accidental inhalation of vapours.

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

[cont...]

**SAFETY DATA SHEET**  
ANTISEIZE REGULAR GRADE

Page: 3

**4.3. Indication of any immediate medical attention and special treatment needed**

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Use water spray to cool containers. Alcohol or polymer foam. Dry chemical powder.  
Carbon dioxide.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4. Reference to other sections**

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Avoid direct contact with the substance.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in cool, well ventilated area.

**Suitable packaging:** Must only be kept in original packaging.

**7.3. Specific end use(s)**

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

[cont...]

**SAFETY DATA SHEET**  
ANTISEIZE REGULAR GRADE

Page: 4

**Hazardous ingredients:**

**DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (LESS THAN 3% DMSO EXTRACT)**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	5 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	-	-

**ZINC OXIDE**

UK	-	-	4mg/m <sup>3</sup>	-
----	---	---	--------------------	---

## 8.2. Exposure controls

**Respiratory protection:** Respiratory protection not normally required.

**Hand protection:** Nitrile gloves.

**Eye protection:** Safety glasses with side-shields.

**Skin protection:** Protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Paste

**Colour:** Grey

**Odour:** Characteristic odour

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

**Solubility in water:** Not miscible

**Viscosity:** Highly viscous

**Melting point/range°C:** > 280

**Flash point°C:** 210

**Autoflammability°C:** > 280

**Relative density:** 1.21 @ 20°C

### 9.2. Other information

**Other information:** Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

### 10.4. Conditions to avoid

**Conditions to avoid:** Heat.

[cont...]

**SAFETY DATA SHEET**  
ANTISEIZE REGULAR GRADE

Page: 5

**10.5. Incompatible materials**

**Materials to avoid:** Strong oxidising agents. Strong reducing agents.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Toxicity values:** Not applicable.

**Symptoms / routes of exposure**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Section 12: Ecological information**

**12.1. Toxicity**

**Ecotoxicity values:** Not applicable.

**12.2. Persistence and degradability**

**Persistence and degradability:** Only slightly biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Non-volatile. Absorbed only slowly into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This substance is not identified as a PBT substance.

**12.6. Other adverse effects**

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**14.1. UN number**

**UN number:** UN3082

[cont...]

**SAFETY DATA SHEET**  
ANTISEIZE REGULAR GRADE

Page: 6

**14.2. UN proper shipping name**

**Shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

**14.3. Transport hazard class(es)**

**Transport class:** 9

**14.4. Packing group**

**Packing group:** III

**14.5. Environmental hazards**

**Environmentally hazardous:** Yes

**Marine pollutant:** No

**14.6. Special precautions for user**

**Tunnel code:** E

**Transport category:** 3

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

Compiled in accordance with REACH.

**Phrases used in s.2 and 3:** H228: Flammable solid.

H261: In contact with water releases flammable gases.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

None

R11: Highly flammable.

R15: Contact with water liberates extremely flammable gases.

R20/22: Harmful by inhalation and if swallowed.

R38: Irritating to skin.

[cont...]

**SAFETY DATA SHEET**  
ANTISEIZE REGULAR GRADE

**Page: 7**

R41: Risk of serious damage to eyes.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R50: Very toxic to aquatic organisms.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.