

PRODUCT NUMBER: 1002847

DuraFlex Harness 1-point

Rear anchorage, size M/L



Overview

Reference Number

1002847

Product Type

Fall Protection

Range

Harness

Line

n/a

Brand

Miller by Sperian

Brand formerly known as

MILLER

Industry

● Industry ● Building and Construction ● Maintenance ● Telecoms

Product Use

1-point

Fall arrest full body harness for use with lanyard or fall arrester.

Features & Benefits

Feature

Duraflex harnesses conform to the shape of the worker, stretching with every movement. With unsurpassed comfort, Duraflex harnesses offer wide end-user acceptance. The TEFLON high-tech protective finish on the webbing repels water, oil, grease and dirt and helps to extend the service life of the harness.

Benefit

Made from patented elasticated webbing, the DuraFlex harness offers greater comfort, improved safety and increased productivity and durability

Technical Description

Performance

Complementary Information

Shoulder & leg straps:

Raw material: DURAFLEX elasticated, webbing 45 mm Teflon®

Breaking strength: > 2200 daN

D-rings:

Raw material: Ø7 mm stainless steel

Breaking strength: > 5000 daN

Adjustment buckles:

Raw material: 45 mm Aluminium alloy


Breaking strength: > 850 daN

Weight : approx. 0.7 kg

Breaking strength: > 15 KN

Temperature: -30°C to +50°C

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

333

EC Attestation Number

0082/490/160/01/02/0014 EXT N° 02/09/03

Photos & Images

We're sorry, there are no images available at this time.

Packaging

EAN Code

7312559871028

Honeywell

[View other region sites](#)
© 2011 Honeywell International Inc.



MILLER[®]

by SPERIAN

GENERAL DATA

Division : Fall Protection
Family : Fall Protection
Range : Fall Arrest Blocks and Winches
Business Countries
 EMEA
Activity Domains :
 Industry • Building and Construction

Product Use :

The TurboLite is the first affordable alternative to shock-absorbing lanyards. It provides a safe alternative requiring less fall clearance.

PRODUCT ADVANTAGES

Feature :

- * Built-in web load indicator identifies when the unit needs removed from services
- * Quick activating Patent Pending Braking System.
- * Compact and lightweight (0,86 kg) provides 2m working capacity lifeline
- * Engineered webbing for greater abrasion resistance and long service life (vectran / polyester webbing).
- * Lightweight, high-strength, impact-resistant nylon housing for maximum durability
- * Built-in swivel prevents lifeline from twisting
- * No annual factory recertification required.
- * Rated for up to a 136 kg user Rated for up to a 100kg user (use in down level)

Benefit :

- Adapted to all situation when working with low space clearance.
- Can be used in Fall Factor 2 (below the back D ring and not lower than foot level).
- Can be used on both side.

TECHNICAL DESCRIPTION

External

Housing :

high impact nylon

Hub :

shock-absorbing engineered co-polymer

Webbing :

Vectran Core, polyester jacket (25.4mm x 1.5mm)

Connector :

Carabiners:

Twistlock carabiner (opening: 18mm) raw material:stainless steel

Scaffhook (opening: 65mm) raw material:aluminium

Dimensions

Length :

430 mm

Width :

82.6 mm

Thickness :

61.5 mm

Extended Length :

1.75 m

Performances

Working Capacity (m) :

1.75

Weight (kg) :

0.860

Complementary Information :

EN 360

ADDITIONAL INFORMATION

User manual number :

90004211

EAN Code :

3660681042651

CERTIFICATION AND CONFORMITY

European Directives :

89/686/EEC

EC Category PPE* : Category III**Standards :**

EN360

*PPE : Personal Protective Equipment

EC CONFORMITY DECLARATION

The manufacturer or its legal representative supplier settled in the European Community:

Miller by Sperian

Declares that the next Personal Protective Equipment described here after is in conformity with the provisions of Council Directive 89/686/CEE:

Designation: TURBOLITE WEB WSA 2m C/W TWISTLOCK+SCAF

Reference: 1018013

Standard(s): EN360

This PPE is the object of the above EC attestation type:

Delivered by:

Made at Vierzon, on the 08/04/2008

By:

Division: Fall Protection

CE COMPLIANCE CERTIFICATE

We, undersigned :

SPERIAN FALL PROTECTION FRANCE
35/37 rue de la Bidauderie
18100 VIERZON

Declare that the next PPE described hereafter :

Reference **1018013**

TurboLite ABS 2m sangle + CS20 1/4tr + ScaffHook

brand: **MILLER BY SPERIAN**

Have been tested and declared conform to the standard **EN360**

Is in conformity with the provisions of Council Directive 89/686/ECC and is the subject of the above EC type examination certificate delivered by :

APAVE
BP 193
13322
MARSEILLE CEDEX 16

Fait à Vierzon le, 23/12/2008

Par : T.Juillet

Fonction: Plant Manager

Signature:

