





LOC	DIST	REVISIONS			
GP	00	REV	DATE	DWN	APVD
G		ECO-10-015550	30JUL10	HMR	JP



SCALE 3:1

- 1 MATERIAL: 0.25 THICK COPPER ALLOY.
- 2 FINISH: TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS ALL OVER NICKEL FLASH PER QQ-N-290. NONPLATED EDGES PERMISSIBLE.
- 3 PADS AND VIAS CHASSIS GROUND.
- 4 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 5 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 6 COMPANY LOGO IN APPROXIMATE AREA SHOWN



1658744-1
 1X4 CAGE ASSEMBLY
 SCALE 6:1

IX4	1658744-1
POSITION	PART NUMBER

<small>THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. ALL RIGHTS RESERVED. THIS IS SUBJECT TO CHANGE WITHOUT NOTICE AND WITHOUT OBLIGATION. TOLERANCES UNLESS OTHERWISE SPECIFIED:</small>		DWN: M. SHIRK 04JUN03 CHK: J. KOPPENHEFFER 06MAY04 APVD: M. WALMSLEY 06MAY04	Tyco Electronics Harrisburg, PA 17105-3608
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ± 1 PLC ±0.1 5 PLC ± 4 PLC ± ANGLES ±0°	NAME: CAGE ASSEMBLY, 1X4 PRESS FIT, SFP PRODUCT SPEC: 108-1950 APPLICATION SPEC: 114-13120 WEIGHT: -	SIZE: A CAGE CODE: 00779 DRAWING NO: C=1658744 RESTRICTED TO: -
MATERIAL: 1	FINISH: 2	CUSTOMER DRAWING	
		SCALE: 5:1	SHEET 1 OF 2 REV G

