

Wiha PicoFinish.

The comfortable precision screwdriver.



Colour-coded drive symbols on the rotating cap for easy recognition of the individual screwdrivers.

The PicoFinish is distinguished by top-quality materials and an ergonomic handle design. The comfortable precision screwdriver with multi-component handle, rapid rotating zone and easy-movement rotating cap is a professional tool for all precision work for confined screw applications. To make things even easier for the user working with tiny screws, we've developed a second, smaller handle. The colour-coded marking of the drive symbol on the rotating cap is also new. This makes it easier to recognise the individual screwdrivers when several are being used at once.



The blades are made of top-quality chrome-vanadium-molybdenum steel to ensure a particularly long tool life. They are subsequently through-hardened in a controlled process and chrome-plated. The precise ChromTop® tip ensures a secure hold in the screw head.



The easy-movement rotating cap protects the palm of the hand.



Wiha PicoFinish.

- Ergonomic handle design with soft zone for comfortable work
- Easy-movement rotating cap for rapid hand action
- Colour-coded marking of the drive symbol for easy identification
- Through-hardened, chrome-plated blade made of chrome-vanadium-molybdenum steel for a long tool life
- Wiha ChromTop® tip guarantees a secure hold in the screw head
- Ideal for all fine, filigree applications in electronics and precision-mechanics applications, as well as for DIY and model-building

For slotted screws.



260P PicoFinish slotted screwdriver.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	①	—	⊕	●	—	+	—
00475 0	0.8	40	0.16	2.0	134	9	10
00476 7	1.0	40	0.18	2.0	134	9	10
00477 4	1.2	40	0.2	2.0	134	9	10
00478 1	1.5	40	0.25	2.0	134	9	10
00479 8	1.5	60	0.25	2.0	154	9	10
00480 4	1.8	40	0.3	2.0	134	9	10
00481 1	1.8	60	0.3	2.0	154	9	10
00482 8	2.0	40	0.4	2.0	140	18	10
00484 2	2.0	60	0.4	2.0	160	18	10
00485 9	2.0	100	0.4	2.0	200	18	10
00486 6	2.5	50	0.4	2.5	150	18	10
00487 3	2.5	75	0.4	2.5	175	18	10
00488 0	2.5	100	0.4	2.5	200	18	10
00490 3	3.0	50	0.5	3.0	150	18	10
00492 7	3.0	100	0.5	3.0	200	18	10
00493 4	3.0	150	0.5	3.0	250	18	10
00495 8	3.5	60	0.6	3.5	160	18	10
00497 2	4.0	60	0.8	4.0	160	18	10
00498 9	4.0	100	0.8	4.0	200	18	10
00499 6	4.0	150	0.8	4.0	250	18	10

For Phillips and Pozidriv screws.



261P PicoFinish Phillips screwdriver.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⊕	—	●	—	+	—
00513 9	PH000	40	2.0	134	9	10
00512 2	PH00	40	2.0	134	9	10
00514 6	PH00	60	2.0	154	9	10
00511 5	PH0	50	3.0	150	18	10
00515 3	PH0	75	3.0	175	18	10
00516 0	PH1	60	4.0	160	18	10
00517 7	PH1	80	4.0	180	18	10
00518 4	PH1	150	4.0	250	18	10



262P PicoFinish Pozidriv screwdriver.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	⊕	—	●	—	+	—
04461 9	PZ0	50	3.0	150	18	10
04462 6	PZ1	60	4.0	160	18	10

Wiha PicoFinish.

The comfortable precision screwdriver.

For TORX® screws.



267P PicoFinish TORX® screwdriver.
Handle with rotating cap and rapid-turning zone.
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
25673 9	T1	40	2.5	134	9	10
25674 6	T2	40	2.5	134	9	10
20122 7	T3	40	2.5	134	9	10
20123 4	T4	40	2.5	134	9	10
00566 5	T5	40	2.5	134	9	10
00567 2	T6	40	2.5	140	18	10
00568 9	T7	40	2.5	140	18	10
00569 6	T8	40	2.5	140	18	10
00570 2	T9	50	3.0	150	18	10
00571 9	T10	50	3.0	150	18	10
00572 6	T15	60	3.5	160	18	10
00573 3	T20	60	4.0	160	18	10



267PR PicoFinish TORX® MagicSpring® screwdriver.
Handle with rotating cap and rapid-turning zone.
Retaining spring holds TORX® screws in place.
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: For setting and tightening TORX® screws in difficult to access areas.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
27729 1	T6	40	2.5	140	18	10
27730 7	T7	40	2.5	140	18	10
27731 4	T8	40	2.5	140	18	10
27732 1	T9	50	3.0	150	18	10
27733 8	T10	50	3.0	150	18	10
27734 5	T15	60	3.5	160	18	10

For TORX PLUS® screws.



267PIP PicoFinish TORX PLUS® screwdriver.
Handle with rotating cap and rapid-turning zone.
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
29100 6	4IP	40	2.5	134	9	10
29101 3	5IP	40	2.5	134	9	10
29102 0	6IP	40	2.5	140	18	10
29103 7	7IP	40	2.5	140	18	10
29104 4	8IP	40	2.5	140	18	10
29105 1	9IP	50	3.0	150	18	10
29106 8	10IP	50	3.0	150	18	10
29107 5	15IP	60	3.5	160	18	10
29108 2	20IP	60	4.0	160	18	10

Wiha Info



TORX® MagicSpring®.
 Simply ingenious – the TORX® MagicSpring® screwdriver from Wiha.
 Because of the "MagicSpring®" retaining spring made of stainless steel, TORX® screws are held securely in place.
 An innovation, which will convince each user.

For hex socket screws.



263P PicoFinish hex screwdriver.
Handle with rotating cap and rapid-turning zone.
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
00519 1	0.7	40	0.028	134	9	10
00520 7	0.9	40	0.035	134	9	10
00521 4	1.3	40	0.05	134	9	10
00522 1	1.5	50	-	144	9	10
00523 8	2.0	50	5/64	150	18	10
00524 5	2.5	60	-	160	18	10
00525 2	3.0	60	-	160	18	10

263P Zoll PicoFinish hex screwdriver. Inch sizes.
Handle with rotating cap and rapid-turning zone.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
00526 9	1/16	50	144	9	10	10
00528 3	3/32	60	160	18	10	10
00530 6	7/64	60	160	18	10	10
00527 6	1/8	60	160	18	10	10



264P PicoFinish ball end hex screwdriver.
Handle with rotating cap and rapid-turning zone.
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Wiha ChromTop® finish on tip for a perfect fit every time.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: Ideal for high-precision work with electro-technical and precision components.
 Extra: The ball end enables the user to work at angles up to 25°.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
00531 3	1.3	40	134	0.05	9	10
00532 0	1.5	50	150	-	18	10
00533 7	2.0	50	150	-	18	10
00534 4	2.5	60	160	-	18	10
00535 1	3.0	60	160	-	18	10

264P Zoll PicoFinish ball end hex screwdriver. Inch sizes.
Handle with rotating cap and rapid-turning zone.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
00537 5	1/16	50	150	18	10	10
00541 2	5/64	50	150	18	10	10
00539 9	3/32	50	150	18	10	10
00542 9	7/64	60	160	18	10	10
00538 2	1/8	60	160	18	10	10
00543 6	9/64	60	160	18	10	10
00540 5	5/32	60	160	18	10	10

For hex nuts. Chip lifter.



265P PicoFinish hex nut driver.
Handle with rotating cap and rapid-turning zone.
 Blade: Chrome-vanadium steel, through hardened, chrome-plated.
 Handle: Wiha PicoFinish handle for rapid rotation.
 Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia	
00544 3	1.5	60	2.5	3.0	160	18	10
00545 0	1.8	60	2.9	3.5	160	18	10
00546 7	2	60	3.2	4.0	160	18	10
00547 4	2.5	60	4.0	4.0	160	18	10
00548 1	3	60	5.0	5.0	160	18	10
00549 8	3.2	60	5.0	5.0	160	18	10
00550 4	3.5	60	5.3	6.0	160	18	10
00551 1	4	60	5.5	6.0	160	18	10
00552 8	4.5	60	6.2	7.0	160	18	10
00553 5	5	60	6.8	7.0	160	18	10
00554 2	5.5	60	7.6	8.0	160	18	10
00555 9	6	60	8.2	9.0	160	18	10
00556 6	7	60	9.6	10.0	160	18	10

265P Zoll PicoFinish hex nut driver. Inch sizes.
Handle with rotating cap and rapid-turning zone.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
00561 0	3/32	60	160	18	2.38	10
00564 1	7/64	60	160	18	2.78	10
00559 7	1/8	60	160	18	3.18	10
00565 8	9/64	60	160	18	3.57	10
00562 7	5/32	60	160	18	3.97	10
00560 3	3/16	60	160	18	4.76	10
00563 4	7/32	60	160	18	5.56	10
00558 0	1/4	60	160	18	6.35	10



26810P PicoFinish chip lifter.
 Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.
 Handle: Wiha PicoFinish handle.
 Application: For lifting tight parts on circuit boards.

Order-No.	Symbol	Size	Length	Tip Length	Tip Dia	Tip Dia
00574 0	1	3.5	50	150	18	5

Wiha PicoFinish.

The comfortable precision screwdriver.

Slotted/ Phillips sets.



260P K6 PicoFinish slotted/ Phillips screwdriver set, 6 pcs.
Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series					
00503 0	260P K6					1
⓪	260P	1.5x40	2.0x40	2.5x50	3.0x50	
⊕	261P	PH00x40	PH0x50			

TORX® sets.



267P K6M PicoFinish TORX® screwdriver set, 6 pcs.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Profi set for mobile phones and electrical devices.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series				
24002 8	267P K6M				1
⊛	267P	T4x40	T5x40	T6x40	
		T7x40	T8x40	T9x50	

TORX® MagicSpring® set.



267PR K6 PicoFinish TORX® MagicSpring® screwdriver set, 6 pcs.

Handle with rotating cap and rapid-turning zone.

Retaining spring holds TORX® screws in place.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: For setting and tightening TORX® screws in difficult to access areas.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series				
27747 5	267PR K6				1
⊛	267PR	T6x40	T7x40	T8x40	
		T9x50	T10x50	T15x60	

Ball end hex L-key set.



264P K6 PicoFinish ball end hex screwdriver set, 6 pcs.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

The ball end enables the user to work at angles up to 25°.

Order-No.	Series						
00536 8	264P K6						1
⊙	263P	0.9x40					
⊙	264P	1.3x40	1.5x50	2.0x50	2.5x60	3.0x60	



260P K7 PicoFinish slotted/ Phillips screwdriver set, 7 pcs.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Order-No.	Series					
00504 7	260P K7					1
⓪	260P	1.5x40	2.0x40	2.5x50	3.0x50	
⊕	261P	PH00x40	PH0x50	PH1x60		



267P K6 PicoFinish TORX® screwdriver set, 6 pcs.

Handle with rotating cap and rapid-turning zone.

Blade: High quality chrome-vanadium-molybdenum steel, through hardened, chrome-plated.

Wiha ChromTop® finish on tip for a perfect fit every time.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series				
03765 9	267P K6				1
⊛	267P	T7x40	T8x40	T9x50	
		T10x50	T15x60	T20x60	



265P K6 PicoFinish hex nut driver set, 6 pcs.

Handle with rotating cap and rapid-turning zone.

Blade: Chrome-vanadium steel, through hardened, chrome-plated.

Handle: Wiha PicoFinish handle for rapid rotation.

Application: Ideal for high-precision work with electro-technical and precision components.

Extra: Practical plastic rack with hanging holes.

Order-No.	Series				
00557 3	265P K6				1
⊙	265P	2.5x60	3x60	3.5x60	
		4x60	5x60	5.5x60	