



WOYR8.E41515

Switches, Special Use Certified for Canada - Component

[See General Information for Switches, Special Use Certified for Canada - Component](#)

OMRON CORP

E41515

SAFETY STANDARDS GROUP

IAB TECHNOLOGY DEVELOPMENT CENTER H Q

SHIOKOJI HORIKAWA, SHIMOGYO-KU

KYOTO, 600-8530 JAPAN

Cat. No.	Amps	V	Frequency	HP
A2M-2B81	TV-8	120	60	—
A2C f/b -1A or -2A, f/b 3, w/wo A thru Z, f/b 0 thru 99,	TV-3	120	60	—
w/wo A thru Z, f/b 0 thru 99, w/wo up to six digits	TV-5	120	60	—
A8L f/b -1 or 2, f/b 1 thru 11, f/b -1 thru 6, f/b 1-5, f/b N or S, f/b 1 thru 99, ww/o A# to Z#	10	125/250	60	—
C3MA ww/o1, ww/o 2 or A-Z incl.	8/6	125/250	60	—

ww/o #, ww/o L, ww/o 25,				
ww/o B, ww/o -L, ww/o S,				
ww/o #				
Model C3W, may be followed by T,	12	12	DC	—
followed by 15, followed by A, B or C,				
may be followed by 1, may be followed				
by T, followed by SC, ST, LC, LT or H				
C3S f/b A, B, C or D	12	24	DC	—
through Z, f/b 4, ww/o 1				
through 20, ww/o (N),				
ww/o additional				
numbers and/or letters				
C3S f/b A, B, C or D	12	18	DC	—
through Z, f/b 3 or MH, ww/o 1				
through 20, ww/o (N),				
ww/o additional				
numbers and/or letters				
C3S f/b A, B, C or D	12	14.4	DC	—
through Z, f/b 2 or ML, ww/o 1				
through 20, ww/o (N),				
ww/o additional				

numbers and/or letters				
Model C3N	12	9.6-	DC	—
f/b A or B,		14.4Vdc		
f/b by 1, ww/o				
additional letters				
and/or numbers				
Model C3N	12	18.24Vdc	DC	—
f/b A or B				
f/b by 2, ww/o				
additional letters				
and/or numbers				
Model C3N followed by A or B, followed by 3, ww/o additional, letters and/or numbers	21	9.6-14.4Vdc	DC	—
C3S f/b A, B, C or D	12	7.2-12	DC	—
through Z, f/b 1, ww/o 1				
through 20, ww/o (N),				
ww/o additional				
numbers and/or letters				
D2C ww/o any from the following groups:	0.1	125	60	—
-(L####); (F); - (2,3);	0.1	30	DC	—
-(4 thru 99)				
D2D-1 f/b 0 or 1, f/b 0 or 1,	16	250	60	—

f/b 0 thru 4, ww/o #+	2	40	DC	—
	0.15	12	DC	—
D2D-2 f/b 0 or 1, f/b 00 thru 04, ww/o #+	10	250	60	—
D2D-3 f/b 0 or 1, f/b 00 thru 04, ww/o #+	16	250	60	1-1/2
	—	125	60	3/4
	6	120	DC	—
D2F ww/o (L###), ww/o	3	125	60	—
-2 or -3, ww/o A, D,	2	30	DC	
J or T, ww/o -#+				
D2F-F ww/o (L###), ww/o	1	125	60	—
-2 or -3, ww/o A, D,	0.5	30	DC	
J or T, ww/o -#+				
D2F-01 ww/o F, ww/o (L###),	0.1	30	DC	—
ww/o -2 or -3, ww/o A,				
D, J or T, ww/o -#+				
D2FC f/b F, ww/o L,	0.1	30	DC	—
L2, L3 or L###, f/b -N,	1mA	6	DC	—
ww/o -T, ww/o -1, ww/o -#				
D2HW f/b A, BR,	0.1(res.)	125	60	—
BL or C, ww/o-#,	2	12	DC	—
f/b DS, DRS, DLS, HS, MS,				

MRS or MLS, ww/o-#				
D2MS ww/o any from the following	3	125-250	60	—
groups: (L#####); -(2, 3);				
(D##, T##); (F); -(W);				
-(K); -(#+)				
D2MS ww/o any from the following	1	125	60	—
groups: (L#####); -(2, 3);	1	30	DC	—
(D##, T##); (F); -(4);				
(W); -(K); -(#+)				
D2MS ww/o any from the following	5	250	60	—
groups: (L#####); -(2, 3);				
(D##, T##); (F); -(5);				
(W); -(K); -(#+)				
D2MS ww/o any from the following	0.1	125	60	—
groups: (L#####); -(2, 3);	0.1	30	DC	—
(D##, T##); (F); -(C);				
(W); -(K); (#+)				
D2MV-01 or -1 ww/o L##### or	D2MV-01			
LM#####, ww/o K, f/b -1,	0.1	125	60	—
-2, or -3, ww/o C## or	0.1	30	DC	—
D##, f/b 1 thru 6, ww/o	D2MV-1			

any from the following groups:	1	125	60	—
(M); (108); -(K); -(#+)	1	30	DC	—
D2MV f/b -3, -5 or -10, ww/o	D2MV-3			
L##### or LM#####, ww/o K,	3	125-250	60	—
f/b -1, -2 or -3, ww/o C##	D2MV-5			
or D##, f/b 1 thru 6, ww/o	5	125-250	60	—
any from the following groups:	D2MV-10			
(M); (108); -(K); -(#+)	10.1	125-250	60	—
D2S f/b -01, -05 or -10,	D2S-1			
ww/o L#####, ww/o F,	0.1	125	60	—
ww/o 2 or 3, ww/o D##,	0.1	30	DC	—
ww/o #, ## or #####	D2S-5			
	5	125	60	—
	3	250	60	—
	D2S-10			
	10.1	250	60	—
D2SW f/b 3, ww/o L and up to	3	125	60	—
three letters and/or	2	250	60	—
numbers, ww/o 2 or 3,	1	30	DC	—
f/b D, DS, H, HS, MS, T, TB or TS,				
ww/o up to two letters				

and/or numbers, ww/o up to				
six letters and/or numbers				
D2SW f/b 01, ww/o L and up to	0.1	125	60	—
three letters and/or	0.1	30	DC	—
numbers, ww/o 2 or 3,				
f/b D, DS, H, HS, MS, T, TB or TS,				
ww/o up to two letters				
and/or numbers, ww/o up				
to six letters and/or				
numbers				
D2SW f/b P, f/b 2,	2	250/30	60/DC	—
ww/o L1, L2, L3, or L####,				
ww/o 2 or 3, ww/o H, T, D, B or M				
D2SW f/b P, f/b 01,	0.1	125/30	60/DC	—
ww/o L1, L2, L3, or L####,				
ww/o 2 or 3, ww/o H, T, D, B or M				
D2T f/b blank, L, L2, L11,	5	125-250	60	—
L13, L22 or L111, w/w/o	0.1	125	60	—
up to 4 digits and/or				
letters, f/b blank or K,				
f/b blank, D, T or T1, f/b				

blank or S, f/b blank,				
F or H, f/b 3 letters				
and/or numbers				
D2VW f/b 01, f/b blank,	0.1	125	60	—
K or L, ww/o up to three	0.1	30	DC	—
letters and/or numbers,				
f/b 1, 2 or 3, f/b blank,				
H, MS (NW) or MS, ww/o up to two				
letters and/or numbers,				
ww/o up to six additional				
letters and/or numbers				
D2VW f/b 05, f/b blank,	5	125-250	60	—
K or L, ww/o up to three	3	125-250	60	—
letters and/or numbers,				
f/b 1, 2 or 3, f/b blank,				
H, HR, MR, MS (NW) or MS, ww/o up to				
two letters and/or numbers,				
ww/o up to six additional				
letters and/or numbers				
D3D f/b 1 or 2, f/b 1,2	1 (res.)	125	60	—
or 3, f/b 1 or 2, ww/o -#	0.5(res.)	250	60	—

	0.5(res.)	125	60	—
	0.25(res.)	250	60	—
D3M f/b 1, ww/o	0.1	30	DC	—
K or L, ww/o 1, 2, 3				
or numbers and/or				
letters, ww/o -3				
K f/b 1-, 2- or 3-, ww/o any	*ww/o F:	125/250	60	—
from the following groups:	5/3			
(AL####, L####); (K)-(2, 3);	*W, S:3/2	125/250	60	—
(A##,C##)-(F*, S*)-(#+)				
K f/b 1, 2 or 3, f/b -1, ww/o any	1	125	60	—
from the following groups:	1	30	DC	—
(AL####, L####); (K)-(2, 3);				
(A##, C##)-(F, S)-(#+)				
K f/b 1, 2 or 3, ww/o	W Suf 1:TV-1	120T	60	—
any from the following	W Suf 2:TV-2	120T	60	—
groups: (AL####, L####);	*W			
(K)-(2, 3); (A##, C##)-				
(F, S) -(#+); f/b				
encircled 1* or 2*				
K f/b 1, 2 or 3, ww/o any from	w/o Suf 443 *5/3	125/250	60	—

the following groups:	w/Suf	125/250	60	—
(AL####, L####); (K)	*-443:3/2			
-(2, 3)-(443*);				
(O)-(K)-(#+)				
K f/b 1, 2 or 3, ww/o any	W Suf 1:TV-1,	120T	60	—
from the following groups:	W Suf 2:TV-2	120T	60	—
(Al####, L####); (K)				
-(2, 3)-(443)-K				
-(#+); f/b encircled				
1* or 2*				
L-2C2 ww/o letters and/or	0.1	250	60	—
numbers				
L-2C2-AS2 ww/o letters	1	125-250	60	—
and/or numbers				
L-2C2-2 ww/o letters and/or	1/0.1	120/250	60	—
numbers				
L-3C2 ww/o letters and/or numbers.	0.1	30	DC	—
L-3C2-2 ww/o letters	0.1/0.08	30/40	DC	—
and/or numbers	3	125-250	60	—
S-5 ww/o any from the following	5	125-250	60	—
groups: (G,H); (L####+,				

W####+); (55) - (1, 2, 3),				
(A##); (9); (4) - (K) -				
(#+)				
S-5G or S-5H ww/o any from the	5	125/250	60	—
following groups: (L####,				
WL#####) - (1, 2, 3); (A##);				
(4) - (#+), f/b encircled 2				
SS f/b -01, -1 or -5,	SS-01:0.1/0.1	125-30	60/DC	—
ww/o any from the	SS-1:1/1	125-30	60/DC	—
following groups: (G)	SS-5:5/3	125/250	60	—
-(L#####), (1, 2, 3);				
(A##)-(4); (#+)				
SS-01, ww/o G or F, ww/o L#####,	0.1 (res.)	125	60	—
f/b P, ww/o -2 or -3, ww/o T, D,B or B2	0.1	30	DC	—
SS-3, ww/o G or F, ww/o L#####,	3 (res.)	125	60	—
f/b P, ww/o -2 or -3, ww/o T, D,B or B2	3	30	DC	—
SS f/b 3 or 1, ww/o L#####, ww/o D##,	3/1	250/30	60/DC	—
T## or W##, f/b 55, ww/o 2	1/1	125/30	60/DC	—
or 3, ww/o #+				
SS-5 ww/o any from the following	5/3	125/250	60	—
groups: (G); (L#####)-(1, 2, 3);				

(C2##, D##, T##)-				
(4), f/b -L, ww/o -#+				
SS-01 or SS-1 ww/o any from the	SS-01:0.1/0.1	125-30	60/DC	—
following groups: (F, G)-(L#####)-	SS-1:1/1	125-30	60/DC	—
(E, F)-(1, 2, 3)-(C2##, D##,				
T##)-(4)-(L)-(#)				
SS-5 ww/o any from the following	5/3	125/250	60	—
groups: (F, G)-(L#####)-(E, F)-	3/3	250-30	60/DC	—
(1, 2, 3)-(C2##, D##, T##)-	0.4/0.2@	125/250	DC	—
(4)-(L)-(#)				
SS-5- ww/o any from the following	TV-2	120	60	—
groups: (G)-(L#####)-(1, 2, 3)-				
(A##, D##, T##)-(4)-(#),				
f/b encircled 2				
SS-10 ww/o any from the following	10.1	250	60	—
groups: (F, G)-(L#####)-	w/C2##:10.1	125-250	60	—
(E, F)-(1, 2, 3)-(C2##,	10.1	12	DC	—
D##, T##)-(4)-(L)-(#)	—	125	60	1/4
SSG f/b 01, f/b blank, L, L1, L2	0.1	125	60	—
or L3 ww/o up to three letters	0.1	30	DC	—
and/or numbers, f/b blank,				

2 or 3, f/b H, P or T,				
f/b blank or 5, ww/o up to				
six letters and/or numbers				
SSG f/b 05, f/b blank, L, L1, L2	5	125	60	—
or L3 ww/o up to three letters	3	250	60	—
and/or numbers, f/b blank,				
2 or 3, f/b H, P or T,				
f/b blank or 5, ww/o up to				
six letters and/or numbers				
V-01 or V-3 ww/o G, ww/o	V-01:0.1/0.1	125-30	60/DC	—
####, ww/o K, f/b	V-3:3	125-250	60	—
-1 thru -6, f/b A##,	2	250	60	—
B##, C##, C2##,				
E## or E2##, f/b				
1, 2 or 3, ww/o -M				
or -T, ww/o -K, ww/o				
-IN or -MK, ww/o -#+				
V-01 or V-3 ww/o G, ww/o	V-01:0.1/0.1	125-30	60/DC	—
####, ww/o K, f/b	V-3:3/3	125-250	60	—
-1 thru -6, f/b A##,	2	250	60	—
B##, C##, C2##,				

D##, E## or E2## ww/o L,				
R or S, f/b 1 or 2,				
ww/o -K, ww/o -IN				
or -MF, ww/o -#+				
V-5 ww/o G, ww/o #####, ww/o K, f/b	5	125-250	60	—
-1 thru -6, f/b A##,	3	250	60	—
B##, C##, C2##, E## or E2##,				
f/b 2, ww/o -M or -T, ww/o				
-K, ww/o -IN or -MK, ww/o -#+				
V-5 ww/o G, ww/o #####, ww/o K,	5	125-250	60	—
f/b -1 thru -6, f/b A##,	3	250	60	—
B##, C##, C2##, E## or E2##, f/b				
3 or 4, ww/o -M or -T, ww/o -K,				
ww/o -IN or -MK, ww/o -#+				
V f/b -5, -10 or -15,	*Suf. 2:TV-2	120	60	—
ww/o #####, ww/o K,				
f/b -1 thru -6, f/b	*Suf. 4:TV-4	120	60	—
A##, B##, C## or				
C2##, f/b 3 thru 6,	*Suff. 5:TV-5	120	60	—
ww/o K, ww/o #, f/b				
encircled 2*, 4* or 5*				

V-10D ww/o L####, ww/o K, f/b -3A##, -3C## or -3C2##, f/b -8, ww/o -#+	10	250	60	—
V-10-D ww/o L####, ww/o K, f/b -3A##, -3C## or -3C2##, f/b -8, ww/o -#+	TV-5	120	60	—
V-10 ww/o ####, ww/o K, f/b -1 thru -6, f/b A##, B##, C##, C2##, E## or E2##, f/b 3, ww/o -M or -T, ww/o -K, ww/o -IN or -MK, ww/o -#+	10	125-250	60	1/3
V-10 ww/o ####, ww/o K, f/b -1 thru -6, f/b A##, B##, C##, C2##, E## or E2##, f/b 4 or 5, ww/o -M or -T, ww/o -K, ww/o -IN or -MK, ww/o -#+	0.6/0.3	125/250	DC	—
V-10 ww/o ####, ww/o K, f/b -1 thru -6, f/b A##, B##, C##, C2##, E## or E2##, f/b 4 or 5, ww/o -M or -T, ww/o -K, ww/o -IN or -MK, ww/o -#+	5	250	60	—
V-10G ww/o ####, ww/o K, f/b -1 thru -6, f/b	10	125-250	60	1/3
	0.1	125	DC	—

A##, B##, C##, C2##,	5	250	60	—
E## or E2##, f/b 3,				
ww/o -M or -T, ww/o -K,				
ww/o -IN or -MK, ww/o -#+				
V-10G ww/o #####, ww/o K,	10	125-250	60	1/2
f/b -1 thru -6, f/b	0.1	125	DC	—
A##, B##, C##, C2##,	5	250	60	—
E## or E2##, f/b 4 or 5,				
ww/o -M or -T, ww/o -K,				
ww/o -IN or -MK, ww/o -#+				
V-10 ww/o F, ww/o L#####,	10	125/250	60	—
ww/o K, f/b 1, 2 or	0.6/0.3	125/250	DC	—
3, f/b A##, C##	—	125-250	60	1/3
or C2##, f/b 8, f/b	5	125/250	60	—
G1, G2, G3, G11, G21				
or G31, ww/o -#+				
V-10G ww/o L#####, ww/o	10	125/250	60	—
K, f/b 1, 2 or 3,	—	125-250	60	1/3
f/b A##, B##, C##	5	125/250	60	—
or C2##, f/b 8, f/b				
G1, G2, G3, G11,				

G21 or G31, ww/o -#+				
V-11 ww/o #####, ww/o K,	11	125-250	60	1/2
f/b -1 thru -6, f/b	0.6/0.3	125/250	DC	—
A##, B##, C##, C2##,	6	250	60	—
D##, E## or E2##, ww/o L,				
R or S, f/b 3, ww/o -K,				
ww/o -IN or -MF, ww/o -#+				
V-11G ww/o #####, ww/o K,	11	125-250	60	1/3
f/b -1 thru -6, f/b	0.1	125	DC	—
A##, B##, C##, C2##,	6A	250	60	—
D##, E## or E2##, ww/o L,				
R or S, f/b 3, ww/o -K,				
ww/o -IN or -MF, ww/o -#+				
V-11G ww/o #####, ww/o K,	11	125-250	60	1/2
f/b -1 thru -6, f/b	0.1	125	DC	—
A##, B##, C##, C2##,	6	250	60	—
D##, E## or E2##, ww/o L, R or				
S, f/b 4 or 5, ww/o -K,				
ww/o -IN or -MF, ww/o -#+				
V-15 ww/o #####, ww/o K,	15	125-250	60	1/2
f/b -1 thru -6, f/b	0.6/0.3	125/250	DC	—

A##, B##, C##, C2##,	10/5	250/40	60/DC	—
E## or E2##, f/b 4, 5				
or 6, ww/o -M or -T,				
ww/o -K, ww/o -#+				
V-15 ww/o ####, ww/o K,	15	1C5-250	60	1/2
f/b -1 thru -6, f/b	0.6/0.3	125/250	DC	—
A##, B##, C##, C2##,	12	30	DC	—
E## or E2##, f/b 4, 5				
or 6, ww/o -M or -T,				
ww/o -K, f/b -MK, ww/o -#+				
V-15-3A6-IN	15	125/250	60	—
	0.6/0.3	125/250	DC	—
	18	12	DC	—
V-15 ww/o ####, ww/o K,	15	125-250	60	—
f/b -1 thru -6, f/b	0.6/0.3	125/250	DC	—
A##, B##, C##, C2##,	12	30	DC	—
E## or E2##, f/b 4, 5				
or 6, ww/o -M or -T, ww/o				
-K, f/b -IN, ww/o -#+				
V-15G ww/o ####, ww/o K, f/b	15	125-250	60	1/2
-1 thru -6, f/b A##, B##,	0.1	125	DC	—

C##, C2##, E## or E2##, f/b 4, 5 or 6, ww/o -M or -T, ww/o -K, ww/o #+	10/5	250/40	60/DC	—
V-15 ww/o F, ww/o L#####, ww/o K, f/b -1, -2 or -3, f/b A##,	12	125-250	60	1/3
B##, C## or C2##, ww/o 6, 8, 44, 441 thru 443 or 445 thru 449, ww/o J, M or U, f/b 108, ww/o -H, ww/o -K, ww/o -#+	0.6/0.3	125/250	DC	—
V-15G ww/o L#####, ww/o K, f/b -1, -2 or -3, f/b A##,	10 "L"	120	60	—
B##, C## or C2##, ww/o 6, 8+, 44, 441 thru 443 or 445 thru 449, ww/o J, M or U, ww/o 105, ww/o -H, ww/o -K, ww/o -#+	15	125-250	60	1/3
V-16 ww/o #####, ww/o K, f/b -1 thru -6, f/b A##, B##, C##,	+w, suf 8:15	125-250	60	1/2
C2##, D##, E## or E2##, ww/o L, R or S, f/b 4, 5 or 6, w/wo -E, ww/o -K, ww/o -#+	16	125-250	60	—
	0.6/0.3	125/250	DC	—
	11/5	250/40	60/DC	—

V-16477-3C6	16	125-250	60	—
	0.6/0.3	125/250	DC	—
	11/5	240/40	60/DC	—
V-16 ww/o #####, ww/o K, f/b -1	5	480	60	—
thru -6, f/b A##, B##, C##,	16/10	250/30	60/DC	—
C2##, D##, E## or E2##, ww/o	0.6/0.3	125/250	DC	—
L, R or S, f/b 4, 5 or 6,				
w/wo -E, ww/o -K, f/b -MF,				
ww/o -#+				
V-16 ww/o #####, ww/o K, f/b	16	125-250	60	1-2
-1 thru -6, f/b A##, B##,	0.6/0.3	125/250	DC	—
C##, C2##, D##, E## or E2##,	12	30	DC	—
ww/o L, R or S, f/b 4,				
5 or 6, w/wo -E, ww/o				
-K, f/b -IN, ww/o -#+				
V-16G ww/o #####, ww/o K, f/b	16	125-250	60	1/2
-1 thru -6, f/b A##, B##,	0.1	125	DC	—
C##, C2##, D##, E## or E2##,	11/5	250/40	60/DC	—
ww/o L, R or S, f/b 4,				
5 or 6, w/wo -E, ww/o				
-K, ww/o -#+				

V-21 ww/o #####, ww/o K, f/b -1	21	125-250	60	1/2
thru -6, f/b A##, B##, C##,	0.6/0.3	125/250	DC	—
C2##, E## or E2##, ww/o L,	16/5	250/40	60/DC	—
R or S, f/b 6, ww/o -E, ww/o				
-K, ww/o -MF, ww/o -#+				
V-21G ww/o #####, ww/o K, f/b -1	21	125-250	60	1/2
thru -6, f/b A##, B##, C##,	0.1	125	DC	—
C2##, E## or E2##, ww/o L, R	16/5	250/40	60/DC	—
or S, f/b 6, ww/o -E,				
ww/o -K, ww/o -MF, ww/o -#+				
VV-5 or -15 f/b -1, -2 or	VV-5:5	125/250	60	—
-3, f/b A## or C2##,	VV-15:15	125/250	60	—
ww/o 7, 44 or 441	0.5/0.25	125/250	DC	—
thru 449, ww/o 105 or 108,				
ww/o -104, -D or -K, ww/o -#+				

*With or without one or two letters and/or numbers.

#With or without up to six letters and/or numbers.

##With or without one or two digits.

###With or without up to three digits.

####With or without up to four digits.


#####With or without up to five digits.

+When used, indicates that these characters do not duplicate any of the possible character combinations from other nomenclature items.

@An additional rating of 0.4A/0.2A, 125/250 Vdc when the 9th suffix is MF.

Marking: Company name or "OMRON" and electrical rating is on the switch. The catalog number may be indicated on the smallest shipping container.



Recognized Component Mark for Canada  is on the switch or smallest shipping container. When the Mark is not on the switch, the company name and catalog number appear with Mark on the container.

Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
A2M-2B81	55	2/1	PP	25K	—
A2C f/b -1A or -2A, f/b 3,	75	1 or 2/1	—	2K	—
w/wo A thru Z, f/b 0 thru 99,	75	1 or 2/0	—	2K	—
w/wo A thru Z, f/b 0 thru 99,					
w/wo up to six digits					
A8L f/b -1 or 2, f/b 1 thru 11,	55	1 or 2/1	—	6K	—
f/b -1 thru 6, f/b 1 thru 5, N or S,					
f/b 1 thru 3, ww/o A# thru Z#					
C3MA ww/o1, ww/o 2 or A -Z incl.	55	2/1	—	6K	5,6(18)
ww/o L, ww/o 2S, ww/o B, ww/o -L,					
ww/o S, ww/o #					

C3S A, B, C or D	50	1/1	—	6K	—
through Z, f/b 1, 2 or ML, 2 or MH, 4, ww/o 1 through 20, ww/o (N), ww/o additional numbers and/or letters					
Model C3N	55	1/1	—	6K	5
f/b by 1, ww/o additional letters and/or numbers					
Model C3N	55	1/1	—	6K	5
2 ww/o letters and/or numbers					
Model C3N followed by A or B, followed by 3, ww/o additional, letters and/or numbers.	55	1/1	—	6K	5
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
D2C ww/o any from the following groups: -(L#####); (F); - (2, 3);-(4 thru 99)	65	1/1	—	6K	—
D2D-1 f/b 0 or 1, f/b 0 or 1, f/b 0 thru 4, ww/o #+	55	2/ 1 or 2	—	100K 10K for	—

				0.15A, 12Vdc	
D2D-2 f/b 0 or 1, f/b	55	2/	—	100K	—
00 thru 04, ww/o #+		1 or 2			
D2D-3 f/b 0 or 1, f/b	55	2/	—	100K	—
00 thru 04, ww/o #+		1 or 2			
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
D2F ww/o (L###), ww/o	65	1/1	—	6K	—
-2 or -3, ww/o A, D,		or 2			
J or T, ww/o -#+					
D2F-F ww/o (L###), ww/o	65	1/1	—	100K	—
-2 or -3, ww/o A, D,		or 2			
J or T, ww/o -#+					
D2F-01 ww/o F, ww/o (L###),	65	1/1	—	100K	Note 5
ww/o -2 or -3, ww/o A,		or 2			
D, J or T, ww/o -#+					
D2HW f/b A, BR,	55	1/1	—	6K	—
BL or C, ww/o-#,		or 2			
f/b DS, DRS, DLS, HS, MS,					
MRS or MLS, ww/o-#					
D2FC f/b F, ww/o L,	65	1/1 or 2	—	6K	—
L2, L3 or L###, f/b -N,					

ww/o -T, ww/o -#					
Model C3W, may be followed by T,	50	1/1	—	6K	5,A1
followed by 15, followed by A, B or C,					
may be followed by 1, may be followed					
by T, followed by SC, ST, LC, LT or H					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
D2MS ww/o any from the following	65	1/1	—	6K	—
groups: (L#####); -(2, 3);					
(D##, T##); (F); -(W);					
-(K); -(#+)					
D2MS ww/o any from the following	65	1/1	—	6K	—
groups: (L#####); -(2, 3);					
(D##, T##); (F); -(4);					
(W); -(K); -(#+)					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
D2MS ww/o any from the following	65	1/1	—	6K	—
groups: (L#####); -(2, 3);					
(D##, T##); (F); -(5);					
(W); -(K); -(#+)					
D2MS ww/o any from the following	65	1/1	—	6K	—
groups: (L#####); -(2, 3);					

(D##, T##); (F); -(C);					
(W); -(K); (#+)					
D2MV-01 or -1 ww/o L##### or	55	1/1	—	6K	—
LM#####, ww/o K, f/b -1,		or 2			
-2, or -3, ww/o C## or					
D##, f/b 1 thru 6, ww/o					
any from the following					
groups: (M); (108);					
-(K); -(#+)					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
D2MV f/b -3, -5 or -10, ww/o	55	1/1	—	6K	—
L##### or LM#####, ww/o K,		or 2			
or D##, f/b 1 thru 6, ww/o					
any from the following groups:					
(M); (108); -(K); -(#+)					
D2S f/b -01, -5 or -10,	75	1/1	—	6K	—
ww/o L#####, ww/o F,		or 2			
ww/o 2 or 3 ww/o D##,					
ww/o #, ## or #####					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
D2SW f/b 3, ww/o L and up to	55	1/1	—	6K	—

three letters and/or		or 2			
numbers, ww/o 2 or 3,					
f/b D, DS, H, HS, MS, T, TB or TS,					
ww/o up to two letters					
and/or numbers, ww/o up to					
six letters and/or numbers					
D2SW f/b 01, ww/o L and up to	55	1/1	—	6K	—
three letters and/or		or 2			
numbers, ww/o 2 or 3,					
f/b D, DS, H, HS, MS, T, TB or TS,					
ww/o up to two letters					
and/or numbers, ww/o					
up to six letters and/or					
numbers					
D2SW f/b P, f/b 2,	55	1/1 or 2	—	6K	—
ww/o L1, L2, L3, or L####,					
ww/o 2 or 3, ww/o H, T, D, B or M					
D2SW f/b P, f/b 01,	55	1/1 or 2	—	6K	—
ww/o L1, L2, L3, or L####,					
ww/o 2 or 3, ww/o H, T, D, B or M					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA

D2T f/b blank, L,	115	2/1	—	100K	—
L2, L11, L13, L22 or					
L111, w/w/o up to					
4 digits and/or letters,					
f/b blank or K, f/b					
blank, D, T or T1, f/b					
blank or S, f/b blank,					
F or H, f/b 3 letters					
and/or numbers					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
D2VW f/b 01, f/b blank,	55	1/1 or 2	—	6K	—
K or L, ww/o up to three					
letters and/or numbers,					
f/b 1, 2 or 3, f/b blank,					
H, MS (NW) or MS, ww/o up to two					
letters and/or numbers,					
ww/o up to six additional					
letters and/or numbers					
D2VW f/b 05, f/b blank,	55	1/1 or 2	—	6K	—
K or L, ww/o up to three					
letters and/or numbers,					

f/b 1, 2 or 3, f/b blank,					
H, HR, MR, MS (NW) or MS, ww/o up to					
two letters and/or numbers,					
ww/o up to six additional					
letters and/or numbers					
D3D f/b 1 or 2, f/b					
	55	1/1 or 2	—	50K	See Note 10
1, 2 or 3, f/b 1 or 2, www/o -#					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
D3M f/b 1, ww/o	55	1/1	—	6K	—
K or L, ww/o 1, 2, 3					
or numbers and/or					
letters, ww/o -3					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
L-2C2 ww/o letters and/or	105	1/1	—	6K	—
numbers					
L-2C2-AS2 ww/o letters and/or	105	1/1	—	6K	—
numbers					
L-2C2-2 ww/o letters and/or	105	1/1	—	6K	—
numbers					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
L-3C2 ww/o letters and/or numbers	105	1/1	—	6K	—

L-3C2-2 ww/o letters and/or numbers	105	1/1	—	6K	—
S-5 ww/o any from the following groups: (G,H); (L#####+, W#####+); (55) - (1, 2, 3), (A##); (9); (4) - (K) - (#+)	65	1/1 or 2	—	6K	See Note 2
S-5G or S-5H ww/o any from the following groups: (L#####, WL#####) - (1, 2, 3); (A##); (4) - (#+), f/b encircled 2	65	1/1 or 2	—	6K	See Note 2

Note 2. These switches may use miniature (bullet) connectors which have been investigated for use with only AMP, No. 60789-2 female connectors, attached to No. 22 AWG wire. The use of any other wire size or female connector would need to be investigated.

Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
SS f/b -01, -1 or -5, ww/o any from the following groups: (G) -(L#####), (1, 2, 3); (A##)-(4); (#+)	65	1/1 or 2	—	6K	See Note 2
SS-01, ww/o G or F, ww/o L#####, f/b P, ww/o -2 or -3, ww/o T, D, B or B2	55	1/1 or 2	—	6K	—
SS-3, ww/o G or F, ww/o L#####, f/b P,	55	1/1 or 2	—	6K	—

ww/o -2 or -3, ww/o T, D, B or B2				(100K for 3A, 30VDC)	
SS f/b 3 or 1, ww/o L#####, ww/o D##	65;(85	1/1 or 2	—	6K	See Note 2
T## or W##, f/b 55,	for SS-355)				
ww/o 2 or 3, ww/o #+					
SS-5 ww/o any from the following	65	1/1 or 2	—	6K	See Note 2
groups: (G); (L#####)					
-(1, 2, 3); (C2##, D##,					
T##) -(4), f/b -L, ww/o -#+					

Note 2. These switches may use miniature (bullet) connectors which have been investigated for use with only AMP, No. 60789-2 female connectors, attached to No. 22 AWG wire. The use of any other wire size or female connector would need to be investigated.

Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
SS-01 or SS-1 ww/o any from	65	1/1 or 2	—	100K	See Note 2
the following groups: (F, G)-					
(L#####)-(E, F)-(1, 2, 3)-					
(C2##, D##, T##)-					
(4)-(L)-(#)					
SS-5 ww/o any from the	65	1/1 or 2	—	6K	See Note 2
following groups:(F, G)-				(100K for 3A,	
(L#####)-(E, F)-				250 Vac or	
(1, 2, 3)-(C2##,				30 Vdc)	
D##, T##)-(4)-(L)-(#)					

SS-5- ww/o any from the	55	1/1 or 2	—	25K	—
following groups: (G)-(L#####)-					
(1, 2, 3)-(A##, D##, T##)-					
(4)-(#), f/b encircled 2					

Note 2. These switches may use miniature pin (bullet) connectors which have been investigated for use with only AMP, No. 60789-2 female connectors, attached to No. 22 AWG wire The use of any other wire size or female connector would need to be investigated.

Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA					
SS-10 ww/o any from the following	65	1/1 or 2	—	6K	See Note 2					
groups: (F, G)-(L#####)-										
(E, F)-(1, 2, 3)-(C2##,										
D##, T##)-(4)-(L)-(#)										
SSG f/b 01, f/b blank, L, L1, L2	125	1/1 or 2	—	6K	—					
or L3 ww/o up to three letters										
and/or numbers, f/b blank,										
2 or 3, f/b H, P or T,										
f/b blank or 5, ww/o up to										
six letters and/or numbers										
SSG f/b 05, f/b blank, L, L1, L2						125	1/1 or 2	—	6K	—
or L3 ww/o up to three letters										
and/or numbers, f/b blank,										
2 or 3, f/b H, P or T,										

f/b blank or 5, ww/o up to
six letters and/or numbers

Note 2. These switches may use miniature pin (bullet) connectors which have been investigated for use with only AMP, No. 60789-2 female connectors, attached to No. 22 AWG wire. The use of any other wire size or female connector would need to be investigated.

Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V f/b -01, -1 or -5, ww/o	55	1/1	—	6K	—
F or G, ww/o L####,		or 2			
ww/o K, f/b -1, -2					
or -3, f/b A##, B##,					
C## or C2##, ww/o any					
from the following					
groups: (6, 8, 44, 441					
thru 443, 445 thru 449);					
(J, M, U); (105, 108)					
-(H)-(K)-(#+)					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-01 or V-3 ww/o G, ww/o	105	1/1	—	6K	—
####, ww/o K, f/b		or 2		6K(100K	
-1 thru -6, f/b A##,				for 2A,	
B##, C##, C2##,				250 Vac)	

E## or E2##, f/b					
1, 2 or 3, ww/o -M					
or -T, ww/o -K, ww/o					
-IN or -MK, ww/o -#+					
V-01 or V-3 ww/o G, ww/o	105	1/1	—	6K	—
####, ww/o K, f/b		or 2		6K(100K	
-1 thru -6, f/b A##,				for 2A,	
B##, C##, C2##,				250 Vac)	
D##, E## or E2##, ww/o L,					
R or S, f/b 1 or 2,					
ww/o -K, ww/o -IN					
or -MF, ww/o -#+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-5 ww/o G, ww/o ####, ww/o K, f/b	105	1/1 or 2	—	6K	—
-1 thru -6, f/b A##, B##, C##,				(100K for	
C2##, E## or E2##, f/b 2,				3A,	
ww/o -M or -T, ww/o				250 Vac)	
-K, ww/o -IN or -MK, ww/o -#+					
V-5 ww/o G, ww/o ####, ww/o K,	105	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b A##, B##,				(100K for	
C##, C2##, E## or E2##, f/b 3				3A,	

or 4, ww/o -M or -T, ww/o -K		250 Vac)			
ww/o -IN or -MK, ww/o -#+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V f/b -5, -10 or -15,	105	1/1 or 2	—	25K	—
ww/o #####, ww/o K,					
f/b -1 thru -6, f/b					
A##, B##, C## or					
C2##, f/b 3 thru 6,					
ww/o K, ww/o #, f/b					
encircled 2*, 4* or 5*					
V-10D ww/o L#####, ww/o K,	105	1/1 or 2	—	6K	—
f/b -3A##, -3C## or					
-3C2##, f/b -8, ww/o -#+					
V-10-D ww/o L#####, ww/o K,	105	1/1 or 2	—	25K	—
f/b -3A##, -3C## or					
-3C2##, f/b -8, ww/o -#+					
f/b encircled 5					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-10 ww/o #####, ww/o K,	105	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b				(100K for	
A##, B##, C##, C2##,				5A, 250 Vac)	

E## or E2##, f/b 3,					
ww/o -M or -T, ww/o -K,					
ww/o -IN or -MK, ww/o -#+					
V-10 ww/o #####, ww/o K,	105	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b				(100K for	
A##, B##, C##, C2##,				5A, 250 Vac)	
E## or E2##, f/b 4 or 5,					
ww/o -M or -T, ww/o -K,					
ww/o -IN or -MK, ww/o -#+					
V-10G ww/o #####, ww/o K,	105	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b				(100K for	
A##, B##, C##, C2##,				5A, 250 Vac)	
E## or E2##, f/b 3,					
ww/o -M or -T, ww/o -K,					
ww/o -IN or -MK, ww/o -#+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-10G ww/o #####, ww/o K,	105	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b				(100K for	
A##, B##, C##, C2##,				5A, 250 Vac)	
E## or E2##, f/b 4 or 5,					
ww/o -M or -T, ww/o -K,					

ww/o -IN or -MK, ww/o -#+					
V-10 ww/o F, ww/o L####,	80	1/1 or 2	—	6K	—
ww/o K, f/b 1, 2 or				(100K for	
or 3, f/b A##, C##				5A, 250 Vac)	
or C2##, f/b 8, f/b					
G1, G2, G3, G11, G21					
or G31, ww/o -#+					
V-10G ww/o L####, ww/o	80	1/1 or 2	—	6K	—
K, f/b 1, 2 or 3,				(100K for	
f/b A##, B##, C##				5A, 250 Vac)	
or C2##, f/b 8, f/b					
G1, G2, G3, G11,					
G21 or G31, ww/o -#+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-15 ww/o ####, ww/o K,	105++	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b				(100K for	
A##, B##, C##, C2##,				10A, 250 Vac	
E## or E2##, f/b 4, 5				5A, 40Vdc)	
or 6, ww/o -M or -T,					
ww/o -K, ww/o -#+					
V-15 ww/o ####, ww/o K,	105++	1/1 or 2	—	6K	—

f/b -1 thru -6, f/b					
A##, B##, C##, C2##,					
E## or E2##, f/b 4, 5					
or 6, ww/o -M or -T,					
ww/o -K, f/b -MK, ww/o -#+					
V-15-3A6-IN	105	1/1 or 2	—	6K	—
	0.6/0.3	125/250	DC	—	
	18	12	DC	—	
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-15 ww/o #####, ww/o K,	105++	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b					
A##, B##, C##, C2##,					
E## or E2##, f/b 4, 5					
or 6, ww/o -M or -T, ww/o					
-K, f/b -IN, ww/o -#+					
V-15G ww/o #####, ww/o K,	105++	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b A##,				(100K for	
B##, C##, C2##, E## or				10A, 250 Vac	
E2##, f/b 4, 5 or 6, ww/o				5A, 40Vdc)	
-M or -T, ww/o -K, ww/o #+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA

V-15 ww/o F, ww/o L####,	55	1/1 or 2	—	6K	—
ww/o K, f/b -1, -2 or				(12K for	
-3, f/b A##, B##, C##				10A,	
or C2##, ww/o 6, 8, 44,				120 Vac,"L")	
441 thru 443 or 445					
thru 449, ww/o J, M or U,					
f/b 108, ww/o -H, ww/o					
-K, ww/o -#+					
V-15G ww/o L####, ww/o K,	55	1/1 or 2	—	6K	—
f/b -1, -2 or -3, f/b					
A##, B##, C## or C2##,					
ww/o 6, 8+, 44, 441 thru					
443 or 445 thru 449, ww/o					
J, M or U, ww/o 105,					
ww/o -H, ww/o -K, ww/o -#+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-16 ww/o #####, ww/o K,	105	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b				(100K for	
A##, B##, C##, C2##,				11A, 250 Vac,	
D##, E## or E2##, ww/o L, R				5A, 40 Vdc)	
or S, f/b 4, 5 or 6,					

w/wo -E, ww/o -K, ww/o -#+					
V-16477-3C6	105	1/1 or 2	—	6K	—
				(100K for	
				11A, 250 Vac,	
				5A, 40 Vdc)	
V-16 ww/o #####, ww/o K,	105	1/1 or 2	—	6K	—
f/b -1 thru -6, f/b					
A##, B##, C##, C2##,					
D##, E## or E2##, ww/o L, R					
or S, f/b 4, 5 or 6, w/wo					
-E, ww/o -K, f/b -MF,					
ww/o -#+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-16 ww/o #####, ww/o K, f/b	105	1/1 or 2	—	6K	—
-1 thru -6, f/b A##, B##,					
C##, C2##, D##, E## or E2##,					
ww/o L, R or S, f/b 4,					
5 or 6, w/wo -E, ww/o					
-K, f/b -IN, ww/o -#+					
V-16G ww/o #####, ww/o K, f/b	105	1/1 or 2	—	6K	—
-1 thru -6, f/b A##, B##,				(100K for	

C##, C2##, D##, E## or E2##,				11A, 250 Vac,	
ww/o L, R or S, f/b 4,				5A, 40 Vdc)	
5 or 6, w/wo -E, ww/o					
-K, ww/o -#+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
V-21 ww/o #####, ww/o K, f/b -1	105	1/1 or 2	—	6K	—
thru -6, f/b A##, B##,				(100K for 16A,	—
C##, C2##, E## or E2##,				250 Vac, 5A,	
ww/o L, R or S, f/b 6, ww/o				40 Vdc)	
-E, ww/o-K, ww/o -MF, ww/o -#+					
V-21G ww/o #####, ww/o K, f/b	105	1/1 or 2	—	6K(100K for 16A,	—
-1 thru -6, f/b A##, B##,				250Vac, 5A, 40Vdc)	
C##, C2##, E## or E2##, ww/o					
L, R or S, f/b 6, ww/o -E,					
ww/o -K, ww/o -MF, ww/o -#+					
Cat. No.	Temp C	POL/THR	Per Pole	Endurance	SPCOA
VV-5 or -15 f/b -1, -2 or	55	1/1 or 2	—	6K	—
-3, f/b A## or C2##,					
ww/o 7, 44 or 441					
thru 449, ww/o 105 or 108,					
ww/o -104, -D or -K, ww/o -#+					

(++) - When marked with a "T", may be rated 150 C.

Note 10. The suitability of the add-on quick connector and 1 ends must be determined in the end-use application.

[Last Updated](#) on 2005-08-11

This page and all contents are Copyright © 2005 by Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2005 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

