

Coding element - HC-CBU-MOD - 1636130

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Coding socket for coding up to 16 connectors, for HC Modular



Key commercial data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	4 017918 969400
Weight per Piece (excluding packing)	2.64 g
Custom tariff number	85369010
Country of origin	Germany

Technical data

General

Material	Steel
Note	Prevents most cases of the connector being inserted at an angle

Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209
eCl@ss 8.0	27440209

ETIM

ETIM 2.0	EC001121
----------	----------

Coding element - HC-CBU-MOD - 1636130

Classifications

ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC002498
ETIM 5.0	EC002498

UNSPSC

UNSPSC 6.01	30211817
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121522
UNSPSC 13.2	39121522

Approvals

Approvals

Approvals

GOST

Ex Approvals


Approvals submitted

Approval details

GOST

Drawings


Dimensioned drawing



Dimensional drawing


Coding element - HC-CBU-MOD - 1636130

Circuit diagram



Coding for housings with one contact insert

Circuit diagram



Coding for housings with two contact inserts

